Resource	Endpoint	Export	Import
Accounts	Get a list of accounts for a specific owner or a specific member	X	
Actions	Get all auditable actions filterable by area	X	
	Generic endpoint		Х
	Generic endpoint	X	
	Generic endpoint		Х
	Generic endpoint	X	
gent clouds	Generic endpoint		Х
gent cloud types	Get agent cloud types	X	
	Adds an agent to a pool		Х
	Get a list of agents	X	
	Delete an agent		Х
	Get permissions on pool	X	
	Replace an agent		X
gents	Update agent details		Х
	Get alerts for a repository Get an alert	X	
larta	Update the status of an alert	X	Х
lerts nalysis	Returns the branches for which analysis results were submitted	X	^
ilalysis	Create an annotated tag	^	Х
nnetoted togo		V	^
nnotated tags	Get an annotated tag List approvals	X X	
	Update approvals	^	Х
		X	^
	Get an approval Get a list of approvals	X	
pprovals	Update status of an approval	^	х
pp. ovaio	Generic endpoint		X
	Get details about all of the packages in the feed	X	^
	Get details about a specific package	X	
	Generic endpoint	^	х
	Get a list of package versions, optionally filtering by state	X	^
	Get details about a specific package version	X	
	Gets provenance for a package version	X	
rtifact details	Generate a svg badge for the latest version of a package	X	
	Associates an artifact with a build		х
	Gets all artifacts for a build	X	
rtifacts	Get a specific artifact from a pipeline run	X	
	Gets a specific attachment	X	
	Gets the list of attachments of a specific type that are associated with a build	X	
	Get the release task attachments	X	
	Get a release task attachment	X	
	Get task attachments API is deprecated. Use get release task attachments API instead	X	
	Get task attachment content API is deprecated. Use get release task attachment content API instead	X	
	Attach a file to a test run		Х
	Get list of test run attachments reference	X	
	Download a test run attachment by its ID	X	
	Attach a file to a test result		Х
	Get list of test result attachments reference	X	
ttachments	Download a test result attachment by its ID	X	
udit log	Queries audit log entries	X	
	Generic endpoint		Х
uthorized resources	Generic endpoint	X	
vailability	Check the availability of symbol service		Х
	Removes the avatar for the project		Х
vatar	Sets the avatar for the project		Х
	Generic endpoint		X
	Generic endpoint	X	
vatars	Generic endpoint		Х
acklog configuration	Gets backlog configuration for a team	X	
	List all backlog levels	X	
	Get a list of work items within a backlog level	X	
acklogs	Get a backlog level	X	
	This endpoint is deprecated, please see the build status rest endpoint	X	
adge	Gets a badge that indicates the status of the most recent build for the specified branch	X	
	Gets one or more blobs in a zip file download		Х
lobs	Get a single blob	X	
	Get board user settings for a board ID	X	
oard user settings	Update board user settings for the board ID		Х
oard columns	Get available board columns in a project	X	
oard parents	Returns the list of parent field filter model for the given list of workitem IDs	X	
oardrows	Get available board rows in a project	X	
	Get boards	X	
o o relo	Get board	X	.,
oards	Update board options Gets a list of builds	X	Х
	Gets a list of builds Queues a build	^	~
			X
	Updates multiple builds Deletes a build		X
	Gets a build	X	^
	Gets a build Updates a build		x
	Gets the changes associated with a build	X	^
	Gets all retention leases that apply to a specific build	X	
	Octo an retention reases that apply to a specific build	X	
		V	
	Gets the logs for a build	X	
	Gets the logs for a build Gets an individual log file for a build	X	
	Gets the logs for a build Gets an individual log file for a build Gets the work items associated with a build	X X	
	Gets the logs for a build Gets an individual log file for a build Gets the work items associated with a build Gets the work items associated with a build, filtered to specific commits	X X X	
	Gets the logs for a build Gets an individual log file for a build Gets the work items associated with a build Gets the work items associated with a build, filtered to specific commits Gets the changes made to the repository between two given builds	x x x x	
uilds	Gets the logs for a build Gets an individual log file for a build Gets the work items associated with a build Gets the work items associated with a build, filtered to specific commits Gets the changes made to the repository between two given builds Gets all the work items between two builds	x x x x	
uilds	Gets the logs for a build Gets an individual log file for a build Gets the work items associated with a build Gets the work items associated with a build, filtered to specific commits Gets the changes made to the repository between two given builds Gets all the work items between two builds Get a team's capacity including total capacity and days off	x x x x	
uilds	Gets the logs for a build Gets an individual log file for a build Gets the work items associated with a build Gets the work items associated with a build, filtered to specific commits Gets the changes made to the repository between two given builds Gets all the work items between two builds	x x x x	х

Card rule settings Card settings Categorized teams Change tracking Chart images	Update board card rule settings Get board card settings for the board id or board by name Update taskboard card settings for the board id or board by name Update board card settings for the board id or board by name Update board card settings for the board id or board by name Update taskboard card settings Gets list of user readable teams in a project and teams user is member of (excluded from readable list) Query to determine which feeds have changed since the last call Query a feed to determine its current state Get a batch of package changes made to a feed	x x x	X X X
Card settings Lategorized teams Change tracking Chart images	Get board card settings for the board id or board by name Update board card settings for the board id or board by name Update taskboard card settings Gets list of user readable teams in a project and teams user is member of (excluded from readable list) Query to determine which feeds have changed since the last call Query a feed to determine its current state	X	х
ategorized teams hange tracking hart images	Update board card settings for the board id or board by name Update taskboard card settings Gets list of user readable teams in a project and teams user is member of (excluded from readable list) Query to determine which feeds have changed since the last call Query a feed to determine its current state	X	
ategorized teams nange tracking nart images	Update taskboard card settings Gets list of user readable teams in a project and teams user is member of (excluded from readable list) Query to determine which feeds have changed since the last call Query a feed to determine its current state		
ategorized teams nange tracking nart images	Gets list of user readable teams in a project and teams user is member of (excluded from readable list) Query to determine which feeds have changed since the last call Query a feed to determine its current state		X
nange tracking	Query to determine which feeds have changed since the last call Query a feed to determine its current state		
hart images	Query a feed to determine its current state	X	
hart images	·		
hart images	Get a batch of package changes made to a feed	X X	
	Get a board chart image	X	
-	Get a local chart image	X	
	Get an iterations chart image	X	
harts	Get board charts	X	
harts	Get a board chart	X	
10.10	Update a board chart		Х
	Add a check configuration		X
	Get check configuration by resource type and ID	X	
	Delete check configuration by ID		Х
	Get check configuration by ID	X	
	Update check configuration		Х
heck configurations	Get check configurations for multiple resources by resource type and ID		Х
	Initiate an evaluation for a check in a pipeline		Х
neck evaluations	Get details for a specific check evaluation	X	
	Cherry pick a specific commit or commits that are associated to a pull request into a new branch		Х
	Retrieve information about a cherry pick operation for a specific branch	X	
nerry picks	Retrieve information about a cherry pick operation by cherry pick ID	X	
ient	Get the client package	X	
	Get code coverage data for a build	X	
ode coverage	Get code coverage data for a test run	X	
	Get columns on a board	X	
olumns	Update columns on a board		Х
	Retrieve a list of commits associated with a particular push	X	
	Retrieve a particular commit	X	
	Retrieve changes for a particular commit	X	
ommits	Retrieve Git commits for a project matching the search criteria		X
	Create a policy configuration of a given policy type		Х
	Get a list of policy configurations in a project	X	
	Delete a policy configuration by its ID		Х
	Get a policy configuration by its ID	X	
onfigurations	Update a policy configuration by its ID		Х
ontents	Get a stitched debug entry for a symbol request as specified by symbol request identifier and debug entry identifier	X	
	Gets controller, optionally filtered by name	X	
ontrollers	Gets a controller	X	
	Create the supplied dashboard		Х
	Get a list of dashboards under a project	X	
	Update the name and position of dashboards in the supplied group, and remove omitted dashboards		Х
	Delete a dashboard given its id. this also deletes the widgets associated with this dashboard		Х
	Get a dashboard by its ID	X	
ashboards	Replace configuration for the specified dashboard		X
	Creates a new definition	V	Х
	Gets a list of definitions Deletes a definition and all associated builds	X	
	Gets a definition, optionally at a specific revision	X	Х
	Restores a deleted definition		Х
	Updates an existing build definition		X
	Gets all revisions of a definition	X	
	Create a release definition		Х
	Get a list of release definitions	X	
	Update a release definition	^	х
	Delete a release definition		×
	Get a release definition	X	
	Get a release definition Get revision history for a release definition	X	
efinitions	Get revision instally for a release definition of a given definitionid and revision	X	
elivery timeline	Get delivery view data	X	
7 · · · ·	Create a deployment group		Х
	Get a list of deployment groups by name or IDs	X	
	Delete a deployment group		Х
	Get a deployment group by its ID	X	
eployment groups	Update a deployment group		Х
eployments	Generic endpoint	X	
escriptors	Resolve a storage key to a descriptor	X	
agnostic logs	Get a list of diagnostic logs for this service	X	
	Get the diagnostics settings for a subscription	x	
iagnostics	Update the diagnostics settings for a subscription		Х
ffs	Find the closest common commit (the merge base) between base and target commits	X	
ownload log	Downloads audit log entries	X	
vironment deployment records	Get environment deployment execution history	X	
	Create an environment		Х
	Get all environments	X	
	Delete the specified environment		Х
	Get an environment by its ID	X	
nvironments	Update the specified environment		Х
	Retrieves a list of all the policy evaluation statuses for a specific pull request	X	
	Gets the present evaluation state of a policy	X	
valuations	Requeue the policy evaluation		Х
	List available event types for this service. Optionally filter by only event types for the specified publisher	X	
ent types	Get a specific event type	X	
vents	Send a pipeline job event to be processed by the execution plan		Х
	Create a feed		Х
	Get all feeds in an account where you have the provided role access	X	

	Out the settlem for a second for dead		
	Get the settings for a specific feed	X	
	Change the attributes of a feed		Х
	Get the permissions for a feed	Х	
	Update the permissions on a feed		Х
	Create a new view on the referenced feed		х
	Get all views for a feed	X	
	Delete a feed view		Х
	Get a view by ID	X	
Feed management	Update a view		Х
r eed management	Query for feeds within the recycle bin	Х	^
	Generic endpoint	^	Х
Food rowale him			X
Feed recycle bin	Generic endpoint		
	Creates a new folder		X
	Deletes a definition folder. definitions and their corresponding builds will also be deleted		Х
	Updates an existing folder at given existing path		Х
	Gets a list of build definition folders	X	
	This method is no longer supported. use createfolder with folder parameter API		Х
	Deletes a definition folder for given folder name and path and all it's existing definitions		Х
	Gets folders	X	
Folders	Updates an existing folder at given existing path		Х
	Retrieve all forks of a repository in the collection	X	
	Request that another repository's refs be fetched into this one		X
	Retrieve all requested fork sync operations on this repository	X	
Forks	Get a specific fork sync operation's details	X	
Gates	Updates the gate for a deployment		x
	Gets pipeline general settings	Х	
General settings	Updates pipeline general settings		Х
V -	Create a new azure devops group or materialize an existing aad group		X
	Gets a list of all groups in the current scope (usually organization or account)	Х	
	Removes an azure devops group from all of its parent groups	^	Х
	Get a group by its descriptor	X	^
Groups		X	~
Groups	Update the properties of an azure devops group Outside status information for the considerall up or second to a particular considerandly appropriate and the appropri	V	Х
Health	Queries status information for the service all-up, or scoped to a particular service and/or geography	X	
History	Returns the retention history for the project collection	X	
	Create an import request		Х
	Retrieve import requests for a repository	X	
	Retrieve a particular import request	X	
Import requests	Retry or abandon a failed import request		Х
Instances	Get instances of an alert on a branch specified with @ref	X	
	Get item metadata and/or content for a collection of items	X	
Items	Post for retrieving a creating a batch out of a set of items in a repo / project given a list of paths or a long path		X
Iteration capacities	Get an iteration's capacity for all teams in iteration	X	
	Get iterations for a result	X	
	Get iteration for a result	X	
	Get a team's iterations using timeframe filter	X	
	Add an iteration to the team		X
	Delete a team's iteration by iterationid		X
	Get team's iteration by iterationid	х	
Iterations	Get work items for iteration		
Iterations	Get work items for iteration Generic endpoint	X	×
Iterations	Generic endpoint		X
	Generic endpoint Generic endpoint	х	X X
Kubernetes	Generic endpoint Generic endpoint Generic endpoint	X	
	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch	х	Х
Kubernetes	Generic endpoint Generic endpoint Generic endpoint Geste the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs	X	X
Kubernetes	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases	X X X	Х
Kubernetes	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases	X X X	X
Kubernetes Latest	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID	X X X	x x x
Kubernetes	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease	X X X X	X
Kubernetes Latest	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run	X X X X X	x x x
Kubernetes Latest	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gest he latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run	X X X X	X X X
Kubernetes Latest	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan	X X X X X	X X X
Kubernetes Latest	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gest he latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run	X X X X X	X X X
Kubernetes Latest Leases	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release	X X X X X X X X X X	X X X
Kubernetes Latest Leases	Generic endpoint Generic endpoint Generic endpoint Getes the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream	X X X X X X	X X X
Kubernetes Latest Leases	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release	X X X X X X X X X X	X X X
Kubernetes Latest Leases Leases	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release	X X X X X X X X X X	X X X
Kubernetes Latest Leases Logs Manual interventions	Generic endpoint Generic endpoint Generic endpoint Getes the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention	X X X X X X X X X X X	X X X
Kubernetes Latest Leases Logs Manual interventions	Generic endpoint Generic endpoint Generic endpoint Getes the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention	X X X X X X X X X X X X X X X	X X X
Kubernetes Latest Leases Logs Manual interventions	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific og from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log. the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship	X X X X X X X X X X X X X X X	x x x
Kubernetes Latest Leases Logs Manual interventions Membership states	Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject	X X X X X X X X X X X X X X X	x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states	Generic endpoint Generic endpoint Generic endpoint Getes the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Deletes a membership between a container and subject	X X X X X X X X X X X X X X X X X X	x x x
Kubernetes Latest Leases Logs Manual interventions Membership states	Generic endpoint Generic endpoint Generic endpoint Getes the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership between a container and subject Find the merge bases of two commits, optionally across forks	X X X X X X X X X X X X X X X	x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases	Generic endpoint Generic endpoint Geste the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the membership between a container and subject Get all membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits	X X X X X X X X X X X X X X X X X X X	x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges	Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual intervention for a given release Get manual intervention for a given release Get manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation's details	X X X X X X X X X X X X X X X X X X X	x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases	Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log. the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation's details Get commiters used when calculating billing information	x x x x x x x x x x x x x x x x x x x	x x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges Meter usage	Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation, currently we support merging only 2 commits Get soulld metrics for a definition	x x x x x x x x x x x x x x x x x x x	x x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Merge bases Merges Meter usage Metrics	Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get a specific merge operation. currently we support merging only 2 commits Get committers used when calculating billing information Gets build metrics for a definition	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges Meter usage Metrics OID ctoken	Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release Get manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a cit merge operation. currently we support merging only 2 commits Get a specific merge operation's details Get committers used when calculating billing information Gets build metrics for a definition Gets build metrics for a project Generic endpoint	x x x x x x x x x x x x x x x x x x x	x x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges Meter usage Metrics Old ctoken Operations	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get sould metrics for a project Gest build metrics for a definition Gets build metrics for a project Generic endpoint Gets an operation from the operationid using the given plugin ID	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges	Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get a specific merge operation's details Get committers used when calculating billing information Gets build metrics for a definition Gets build metrics for a definition Gets all build definition options supported by the system	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Merge bases Merges Metrusage Metrics OID cloken Operations Options	Generic endpoint Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention for a given release and manual intervention ID Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Deletes a membership between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation: currently we support merging only 2 commits Get a specific merge operation is details Get committers used when calculating billing information Gets build metrics for a project Generic endpoint Gets an operation from the operationid using the given plugin ID Get sal build definition options supported by the system Get the current status of advanced security for the organization	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Merge bases Merges Metrusage Metrics OID cloken Operations Options	Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release Get manual intervention for a given release Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Find the merge basses of two commits, optionally across forks Request a Git merge operation's details Get committees used when calculating billing information Gets build metrics for a definition Gets build metrics for a project Gest an operation from the operation's details Get an operation from the operation's details Get an operation from the operation dusing the given plugin ID Gets an operation from the operation of the organization Update the status of advanced security for the organization Update the status of advanced security for the organization	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Merge bases Merges Metrusage Metrics OID cloken Operations Options	Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a leases ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run List all manual interventions for a given release Get amaula intervention for a given release Get amaula intervention for a given release Get amaula intervention for a given release and manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get a specific merge operation is details Get committers used when calculating billing information Gets build metrics for a project Generic endpoint Gets an operation from the operational using the given plugin ID Gets all build definition options supported by the system Get the current status of advanced security for the organization Liptate the committers that would be added to the customer's usage if advanced security was enabled for this organization	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Metrusage Metrics OID ctoken Operations Options Org enablement	Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release Get manual intervention for a given release Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership between a container and subject Find the merge basses of two commits, optionally across forks Request a Git merge operation's details Get committees used when calculating billing information Gets build metrics for a definition Gets build metrics for a project Gest an operation from the operation's details Get an operation from the operation's details Get an operation from the operation dusing the given plugin ID Gets an operation from the operation of the organization Update the status of advanced security for the organization Update the status of advanced security for the organization	x x x x x x x x x x x x x x x x x x x	X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges Metrics OID ctoken Operations Options Org enablement	Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a leases ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run Create a log and connect it to a pipeline run List all manual interventions for a given release Get amaula intervention for a given release Get amaula intervention for a given release Get amaula intervention for a given release and manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get a specific merge operation is details Get committers used when calculating billing information Gets build metrics for a project Generic endpoint Gets an operation from the operational using the given plugin ID Gets all build definition options supported by the system Get the current status of advanced security for the organization Liptate the committers that would be added to the customer's usage if advanced security was enabled for this organization	x x x x x x x x x x x x x x x x x x x	x x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Metrusage Metrics OID ctoken Operations Options Org enablement	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gets the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a leases ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect if to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get amunal intervention or a given release Get amunal intervention or a given release Get amunal intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get all membership relationship between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get so piceline merge operation's details Get committers used when calculating billing information Gets build metrics for a definition Gets build metrics for a project Generic endpoint Gets an operation from the operationid using the given plugin ID Gets all build definition options supported by the system Get the current status of advanced security for the organization Update the status of advanced security for the organization Update the status of advanced security for the organization Estimate the committers that would be added to the customer's usage if advanced security was enabled for this organization	x x x x x x x x x x x x x x x x x x x	X X X X X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Membership states Merge bases Merge doses Metrics OID ctoken Operations Options Org enablement Org meter usage estimate	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Get a specific log from a pipeline run Get a specific log from a pipeline run Get a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release Get manual intervention for a given release Get annual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships between a container and subject Get at membership relationship between a container and subject Deletes a membership between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a clif imerge operation. currently we support merging only 2 commits Get a specific merge operation's details Get committers used when calculating billing information Gets build metrics for a definition Gets build metrics for a felinition Gets an operation from the operationid using the given plugin ID Gets an operation from the operationid using the given plugin ID Gets an operation from the operationid using the given plugin ID Gets an operation from the operationid using the given plugin Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this organization Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this organization Batch API to authorize/u	x x x x x x x x x x x x x x x x x x x	X X X X X X X X X X X X
Kubernetes Latest Leases Logs Manual interventions Membership states Membership states Merge bases Merge doses Metrics OID ctoken Operations Options Org enablement Org meter usage estimate	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a isst of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a taskiog object stream List all manual interventions for a given release Get manual intervention for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get a membership relationship between a container and subject Deletes a membership relationship between a container and subject Get a membership relationship between a container and subject Get a specific merge operation. currently we support merging only 2 commits Get a specific merge operation. details Get committers used when calculating billing information Gets build metrics for a definition Gets an operation from the operationid using the given plugin ID Gets all build definition options supported by the system Get the current status of advanced security for the organization Listense the committers that would be added to the customer's usage if advanced security was enabled for this organization Batch API to authorize/unauthorize a list of definitions for a multiple resources Given a resource bye and resourceid	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Kubernetes Latest Leases Logs Manual interventions Membership states Memberships Merge bases Merges Metrics OliD ctoken Operations	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gests the latest build for a definition, optionally scoped to a specific branch Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get a list of logs from a pipeline run Get a specific log from a pipeline run Get a specific log from a pipeline run Get as specific log from a pipeline run Get as specific log from a pipeline run Greate a log and connect it to a pipeline run sexecution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual interventions for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get at membership between a container and subject Get at membership between a container and subject Find the merge bases of two commits, optionally across forks Request a Git merge operation. currently we support merging only 2 commits Get sould metrics for a project Get as operation from the operationid using the given plugin ID Gets build metrics for a definition Gets build metrics for a roject Generic endpoint Gets an operation from the operationid using the given plugin ID Gets all build definition options supported by the system Get the current status of advanced security for the organization Lydate the status of advanced security for the organization Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this organization Given a resource type and resource if	x x x x x x x x x x x x x x x x x x x	x
Kubernetes Latest Latest Leases Logs Manual interventions Membership states Membership states Merge bases Merge OID ctoken Operations Options Org enablement Org meter usage estimate Pipeline permissions	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new lasses for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get at last of logs from a pipeline run Get a specific log from a pipeline run Greate a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual intervention for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get at membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a clit merge operation's details Get a specific merge operation's details Get a specific merge operation's details Get so build metrics for a definition Gets build metrics for a definition Gets build metrics for a definition Gets build metrics for a definition Get so build metrics for a demanded security for the organization Judate the committers that would be added to the customer's usage if advanced security was enabled for this organization Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this organization Batch API to authorize/unauthorize a list of definitions for a multiple resources Create	x x x x x x x x x x x x x x x x x x x	x
Kubernetes Latest Leases Logs Manual interventions Membership states Membership states Merge bases Metrics OID cloken Operations Options Org enablement Org meter usage estimate	Generic endpoint Adds new leases for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Get all six of logs from a pipeline run Updates the duration or pipeline protection status of a retention lease Get all six of logs from a pipeline run Get a specific log from a pipeline run Create a log and connect it to a pipeline run's execution plan Append a log to a task' log to be alsk'	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Kubernetes Latest Latest Leases Logs Manual interventions Membership states Membership states Merge bases Merge OID ctoken Operations Options Org enablement Org meter usage estimate Pipeline permissions	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Gest the latest build for a definition, optionally scoped to a specific branch Adds new lasses for pipeline runs Removes specific retention leases Returns any leases matching the specified minimal retention leases Returns any leases matching the specified minimal retention leases Returns the details of the retention lease given a lease ID Updates the duration or pipeline protection status of a retention lease Get at last of logs from a pipeline run Get a specific log from a pipeline run Greate a log and connect it to a pipeline run's execution plan Append a log to a task's log, the log should be sent in the body of the request as a tasklog object stream List all manual intervention for a given release Get manual intervention for a given release and manual intervention ID Update manual intervention Check whether a subject is active or inactive Get all the memberships where this descriptor is a member in the relationship Create a new membership between a container and subject Get at membership relationship between a container and subject Deletes a membership between a container and subject Find the merge bases of two commits, optionally across forks Request a clit merge operation's details Get a specific merge operation's details Get a specific merge operation's details Get so build metrics for a definition Gets build metrics for a definition Gets build metrics for a definition Gets build metrics for a definition Get so build metrics for a demanded security for the organization Judate the committers that would be added to the customer's usage if advanced security was enabled for this organization Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this organization Batch API to authorize/unauthorize a list of definitions for a multiple resources Create	x x x x x x x x x x x x x x x x x x x	x

Plans	Get the information for the specified plan Update the information for the specified plan	X	х
Plans	Opposite the information for the specified plan Get a list of test points	X	Α
	Get a test point	X	
	Update test points		х
roints	Get test points using query		Х
olicy configurations	Retrieve a list of policy configurations by a given set of scope/filtering criteria	X	
	Create an agent pool		Х
	Get a list of agent pools	X	
	Delete an agent pool		X
	Get information about an agent pool	X	
Pools	Update properties on an agent pool		X
Preview	Queues a dry run of the pipeline and returns an object containing the final YAML		Х
Process configuration	Get process configuration	X	
rocesses	Get a list of processes Get a process by ID	X X	
rofiles	Gets a user profile	X	
Tollics	Get the current status of advanced security for a project	X	
Project enablement	Update the status of advanced security for the project	^	х
	Estimate the number of committers that would be added to the customer's usage if advanced security was enabled for this project	X	
roject meter usage estimate	Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this project	Х	
.,	Get all projects in the organization that the authenticated user has access to	X	
	Queues a project to be created		Х
	Get project with the specified id or name, optionally including capabilities	X	
	Queues a project to be deleted		Х
	Update an existing project's name		Х
	Get a collection of team project properties	X	
rojects	Create, update, and delete team project properties		Х
	Gets properties for a build	X	
	Updates properties for a build		Х
	Gets properties for a definition	Х	
roperties	Updates properties for a definition		Х
rovenance	Creates a session		Х
Provider info	Generic endpoint	X	
	Get a list of files attached to a given pull request	Х	
	Attach a new file to a pull request		Х
	Delete a pull request attachment		Х
ull request attachments	Get the file content of a pull request attachment	X	
	Add a like on a comment		X
	Delete a like on a comment		Х
ull request comment likes	Get likes for a comment	X	
	Get the commits for the specified pull request	X	
ull request commits	Get the commits for the specified iteration of a pull request	X	
ull request iteration changes	Retrieve the changes made in a pull request between two iterations	Х	.,
	Create a pull request status on the iteration		Х
	Get all the statuses associated with a pull request iteration	Х	V
	Update pull request iteration statuses collection		X
full request iteration statuses	Delete pull request iteration status Get the specific pull request iteration status by ID. The status ID is unique within the pull request across all iterations	X	Х
uli request iteration statuses	Get the list of iterations for the specified pull request	X	
ull request iterations	Get the specified iteration for a pull request	X	
an request northwest	Create a tag (if that does not exists yet) and add that as a label (tag) for a specified pull request, the only required field is the name of the new label (tag)		Х
	Get all the labels (tags) assigned to a pull request	Х	
	Removes a label (tag) from the set of those assigned to the pull request, the tag itself will not be deleted		Х
ull request labels	Retrieves a single label (tag) that has been assigned to a pull request	X	
	Get external properties of the pull request	X	
ull request properties	Create or update pull request external properties		Х
	Add reviewers to a pull request		х
	Add an unmaterialized identity to the reviewers of a pull request		Х
	Retrieve the reviewers for a pull request	Х	
	Reset the votes of multiple reviewers on a pull request		Х
	Add a reviewer to a pull request or cast a vote		х
	Remove a reviewer from a pull request		Х
	Retrieve information about a particular reviewer on a pull request	Х	
ull request reviewers	Edit a reviewer entry		Х
ull request share	Sends an e-mail notification about a specific pull request to a set of recipients		Х
	Create a pull request status		Х
	Get all the statuses associated with a pull request	X	
	Update pull request statuses collection		X
	Delete pull request status		Х
full request statuses	Get the specific pull request status by id. the status id is unique within the pull request across all iterations	Х	
	Create a comment on a specific thread in a pull request (up to 500 comments can be created per thread)		Х
	Retrieve all comments associated with a specific thread in a pull request	Х	
	Delete a comment associated with a specific thread in a pull request		Х
tull request throad	Retrieve a comment associated with a specific thread in a pull request	X	
ull request thread comments	Update a comment associated with a specific thread in a pull request		X
	Create a thread in a pull request	v	Х
	Retrieve all threads in a pull request	X	
ull request threads	Retrieve a thread in a pull request	X	X
ull request threads ull request work items	Update a thread in a pull request Patrieus a list of work items associated with a pull request	X	
un request work items	Retrieve a list of work items associated with a pull request Retrieve all pull requests matching a specified criteria	X	
	Retrieve a pull request	X	X
	Create a pull request	X	Х
	Retrieve all pull requests matching a specified criteria Retrieve a pull request	X	
ull requests	Retrieve a pull request Update a pull request	Α	X
un requests	Push changes to the repository		X
	Push changes to the repository Retrieves pushes associated with the specified repository	×	
ushes	Retrieves pushes associated with the specified repository Retrieves a particular push	X	
uarica		^	х
	Create a new agent queue to connect a project to an agent pool		

Queues	Removes an agent queue from a project		Х
	Get information about an agent queue	Х	
Records	Update timeline records if they already exist, otherwise create new ones for the same timeline		X
	Queues a job to remove all package versions from a feed's recycle bin Query for packages within the recycle bin	Х	^
	Get information about a package and all its versions within the recycle bin	×	
	Get a list of package versions within the recycle bin	х	
Recycle bin	Get information about a package version within the recycle bin	X	
	Queries the provided repository for its refs and returns them	X	
	Lock or unlock a branch		Х
Refs	Creating, updating, or deleting refs(branches)		X
	Creates a ref favorite		Х
	Gets the refs favorites for a repo and an identity	X	
	Deletes the refs favorite specified		Х
Refs favorites	Gets the refs favorite for a favorite ID	X	
	Get a list of releases Create a release	Х	Х
	Create a release Get release for a given revision number	X	
	Update a complete release object	^	х
	Update few properties of a release		X
	Get a release environment	Х	
	Update the status of a release environment		х
	Gets the task log of a release as a plain text file	Х	
Releases	Get logs for a release ID	х	
	Determine if advanced security is enabled for a repository	X	
Repo enablement	Update the enablement of advanced security for a repository		X
	Estimate the committers that would be added to the customer's usage if advanced security was enabled for this repository	X	
Repo meter usage estimate	Estimate the pushers that would be added to the customer's usage if advanced security was enabled for this repository	x	
Report	Gets a build report	x	
	Retrieve deleted Git repositories	Х	
	Retrieve soft-deleted Git repositories from the recycle bin	Х	
	Destroy (hard delete) a soft-deleted Git repository		Х
	Recover a soft-deleted Git repository, recently deleted repositories go into a soft-delete state for a period of time before they are hard deleted and become unrecoverable		X
	Create a Git repository in a team project		Х
	Retrieve Git repositories	Х	.,
	Delete a Git repository		Х
Repositories	Retrieve a Git repository	Х	X
Request access	Updates the Git repository with either a new repo name or a new default branch Generic endpoint		X
request access	Greate a new symbol request		X
	Delete a symbol request by request name		X
	Get a symbol request by request name	Х	
	Update a symbol request by request name		Х
	Create debug entries for a symbol request as specified by its identifier		х
	Delete a symbol request by request identifier		х
	Get a symbol request by request identifier	X	
	Update a symbol request by request identifier		х
Requests	Generic endpoint	Х	
		X X	
Requests Resource usage	Generic endpoint	X	X
	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint	X	Х
Resource usage Resources	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings	X	
Resource usage	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings	X	Х
Resource usage Resources	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results to a test run	X X X	
Resource usage Resources	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test results retention settings Add test results for a test run Get test results for a test run	X	X X
Resource usage Resources Result retention settings	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results for a test run Update test results for a test run	x x x	Х
Resource usage Resources Result retention settings	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results to a test run Get test results for a test run Update test results for a test run Get a test results for a test run Get a test results for a test run	x x x	X X
Resource usage Resources Result retention settings Results	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results in a test run Get a test results in a test run Get a test result for a test run Get a test result for a test run Get best results in a test run Get best results in a test run Get best results in a test run	x x x	x x
Resource usage Resources Result retention settings	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results in a test run Get a test results in a test run Get a test results in a test run Get a test result for a test run Get at test results in a test run Get at test results in a test run Gets the project's retention settings Updates the project's retention settings	x x x	x x
Resource usage Resources Result retention settings Results	Generic endpoint Get information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results to a test run Get test results for a test run Get a test result for a test run Get a test result for a test run Get a test result for a test run Get test results in a test run Get a test results in a test run Get a test result for a test run Get test results or a test run Get the project's retention settings Updates the project's retention settings Delete the retention policy for a feed	x x x	x x
Resource usage Resources Result retention settings Results	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results for a test run Get a test results for a test run Get the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed	x x x	x x x
Resource usage Resources Result retention settings Results	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results in a test run Get a test results in a test run Get a test result for a test run Get a test result for a test run Get bet project's retention settings Update test results in a test run Get the project's retention settings Update the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed	x x x	x x
Resource usage Resources Result retention settings Results	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results for a test run Get a test results for a test run Get the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed	x x x	x x x
Resource usage Resources Result retention settings Results Retention	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results retention settings Update test results for a test run Get test results for a test run Update test results for a test run Update test results in a test run Get a test results in a test run Get a test results in a test run Get a test result for a fest run Get a test result for a fest run Get the retention policy or a feed Updates the project's retention settings Updates the project's retention settings Updates the project's retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed	x x x x	x x x
Resource usage Resources Result retention settings Results Retention	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results for a test run Get test results for a test run Update test results for a test run Get test results for a test run Get a test result for a test run Get a test result for a test run Get a test result for a fest run Get a test result for a fest run Get a test result for a fest run Get test results for a fest run Get a test result for a fest run Get a test result for a fest run Get test results for a fest run Get test results for a fest run Get a test result for a fest run Get a test run Get test results in a test run Get test results for a fest run Get test results for a f	X X X X X X X	x x x
Resource usage Resources Result retention settings Results Retention Retention Retention policies	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results in a test run Get at est result for a test run Get at est result for a test run Get the project's retention settings Updates the project's retention settings Updates the project's retention policy for a feed Set the retention to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve information about a revert operation by revert ID	X X X X X X X X X X	x x x
Resource usage Resources Result retention settings Results Retention Retention Retention policies	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test results retention settings Update test results for a test run Get test results for a test run Get test results in a test run Update test results in a test run Update test results in a test run Get a test result in a test run Get a test result for a test run Get a test result for a test run Get the project's retention settings Updates the project's retention settings Updates the project's retention settings Updates the project's retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Statts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy	x x x x x x x x x x x	x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results in a test run Update test results in a test run Get a test result for a test run Update test results in a test run Get a test result for a test run Get a test result for a test run Get a test result for a test run Get substitus in a test run Get test project's retention settings Updates the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention or create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation by revert ID Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve a specific revision of a given policy by ID Get rows on a board Update rows on a board	x x x x x x x x x x x x x x x x	x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results for a test run Get test results for a test run Get a test results for a test run Get a test result for a test run Get set result for a test run Get a test result for a test run Get set result for a test run Get set project's retention settings Updates the project's retention settings Updates the project's retention settings Set the retention policy for a feed Get the retention policy for a feed Get the retention policy for a feed Set the retention to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy by ID Get rows on a board	x x x x x x x x x x x x x x x x	x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results in a test run Update test results in a test run Get a test result for a test run Update test results in a test run Get a test result for a test run Get a test result for a test run Get a test result for a test run Get substitus in a test run Get test project's retention settings Updates the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention or create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation by revert ID Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve a specific revision of a given policy by ID Get rows on a board Update rows on a board	X X X X X X X X X X X X X X X X X X X	x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results in a test run Update test results for a feet run Get at each result for a lest run Get at lest result for a feet run Get the project's retention settings Updates the project's retention settings Updates the project's retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Satts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve a specific revision of a given policy Retrieve a specific revision of a given policy Update rows on a board Update rows on a board Gets top 10000 runs for a particular pipeline Gets a run for a particular pipeline Gets a run for a particular pipeline	X X X X X X X X X X X X X X X X X X X	x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results in a test run Update test results in a test run Get a test result for a test run Update test results in a test run Get a test result for a test run Get a test result for a test run Get a test result for a test run Get subject's retention settings Updates the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Starts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve a specific revision of a given policy by ID Get rows on a board Gets top 10000 runs for a particular pipeline Runs a pipeline Ges a run for a particular pipeline Create new test run	x x x x x x x x x x x x x x x x x x x	x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results in a test run Update test results in a test run Get a test results in a test run Get a test results in a test run Get a test result for a test run Get sterpice's retention settings Updates the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Starts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve all revisions for a given policy Retrieve all revisions for a given policy by ID Get rows on a board Gets top 10000 runs for a particular pipeline Runs a pipeline Gets a run for a particular pipeline Greate new test run Get a list of test runs	X X X X X X X X X X X X X X X X X X X	X X X X X X
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results to a test run Get test results for a test run Update test results in a test run Update test result for a test run Update test result for a test run Update test result for a test run Get at test result for a test run Gets the project's retention settings Updates the project's retention settings Updates the project's retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Satts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve all revisions for a given policy Retrieve as specific revision of a given policy Retrieve as specific revision of a given policy Update rows on a board Update rows on a board Get so protocol runs for a particular pipeline Runs a pipeline Gets a run for a particular pipeline Create new test run Delete a test run by its ID	X X X X X X X X X X X X X X X X X X X	x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results to a test run Get test results to a test run Update test results for a test run Update test results in a test run Get a test results for a test run Get a test results for a test run Update test results for a test run Get a test results for a test run Gets the project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Sat the retention policy for a feed Sat the retention to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve all revisions for a given policy Retrieve all revisions for a given policy by ID Get rows on a board Update rows on a board Gets top 10000 runs for a particular pipeline Runs a pipeline Gets a un for a particular pipeline Create new test run Get a list of test runs Delete a test run by its ID	x x x x x x x x x x x x x x x x x x x	x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows	Generic endpoint Getes information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add lest results to a test run Get test results for a test run Update test results for a test run Update test results in a test run Get test results for a test run Update test results for a test run Update test results for a test run Update test results for a test run Get a test result for a test run Get be project's retention settings Updates the project's retention settings Updates the project's retention settings Updates the project's retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Set the retention about a revert operation for a specific branch Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve a specific revision of a given policy by ID Get rows on a board Update rows on a board Gets top 10000 runs for a particular pipeline Create new test run Get a list of test runs Delete a test run by its ID Update test run by its ID Update test run by its ID	X X X X X X X X X X X X X X X X X X X	X X X X X X
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results to a test run Get test results to a test run Get test results to a test run Get test results for a test run Get a test results for a test run Get a test result for a test run Get a test result for a test run Get a test result for a test run Get sthe project's retention settings Updates the project's retention settings Delete the retention policy for a feed Get the retention policy for a feed Set the retention policy due to a feed Retrieve information about a revert operation for a specific branch Retrieve information about a revert operation for a specific branch Retrieve all revisions for a given policy Retrieve as specific revision of a given policy Retrieve as specific revision of a given policy by ID Get son a board Gets to process of a particular pipeline Runs a pipeline Gets a run for a particular pipeline Create new test run Delete a test run by its ID Get test run satistics, used when we want to get summary of a run by outcome	x x x x x x x x x x x x x x x x x x x	x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get lest result retention settings Update test result retention settings Add test results for a test run Get test results for a test run Get test results for a test run Update test results for a test run Get a test result for a feet fun Get ste project's retention settings Updates the project's retention settings Delete the retention policy for a feed Set the retention policy for a feed Starts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve as specific revision of a given policy by ID Get rows on a board Update rows on a board Gets top 10000 runs for a particular pipeline Create new test run Get a list of test runs Delete a test run by its ID Update test run by its ID Get a test run by its ID Get at set strun by its ID one of the strunt set strun by the sun administration permissions	X X X X X X X X X X X X X X X X X X X	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows	Generic endpoint Gets information about build resources in the system Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Add test results for a test run Get test results for a test run Get test results for a test run Get a test results for a test run Get a test result for a test run Get such projects retention settings Updates the projects retention settings Delete the retention policy for a feed Get the retention policy for a feed Sat the retention policy for a feed Sat the retention policy for a feed Sat the retention bord are vert operation for a specific branch Retrieve information about a revert operation for a specific branch Retrieve information about a revert operation by revert ID Retrieve a specific revision of a given policy Retrieve a specific revision of a given policy by ID Get rows on a board Update rows on a board Gets top 10000 runs for a particular pipeline Runs a pipeline Gets a run for a particular pipeline Create new test run Get a test run by its ID Get test run statistics, used when we want to get summary of a run by outcome Get all service-wide feed creation and administration permissions Set service-wide permissions that govern feed creation and administration	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results for a test run Update test results for a test run Get est results for a test run Update test results in a test run Get est repider's retention settings Update test results for a test run Get sets result for a test run Get set the retention policy for a feed Set the retention policy for a feed Set the retention to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy Retrieve as specific revision of a given policy Retrieve as pecific revision of a given policy by ID Get rows on a board Update rows on a board Gets ton 10000 runs for a particular pipeline Create new test run Get a list of test runs Delete a test run by its ID Get a test run by its ID Get a test run by its ID Get test run statistics, used when we want to get summary of a run by outcome Get all service-wide feed creation and administration permissions Set service-wide permissions that govern feed creation and administration	x x x x x x x x x x x x x x x x x x x	X X X X X X X
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows	Generic endpoint Update test tresult retention settings Update test results retention settings Update test results for a test run Get set results for a test run Update lest results for a test run Update lest results for a test run Get a test result for a test run Get a test result for a test run Get a test result for a test run Get better retention settings Updates the project's retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Set a true formation about a revert operation for a specific branch Retrieve information about a revert operation for a specific branch Retrieve all revisions for a given policy Retrieve a specific revision of a given policy by ID Get rows on a board Update rows on a board Update rows on a board Gets to proton or unsert or particular pipeline Gets a run for a particular pipeline Gets a run for a particular pipeline Get as test run by its ID Update test run by its ID Get et est run by its ID Get est run statiscus, used when we want to get summary of a run by outcome Get all iss of test service-wide feed creation and administration permissions Set service-wide permissions that govern feed creation and administration Materialize an existing and service principal into the ado account Get all ist of all service principal in to the ado account	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Revisions Revisions Rows Runs Revisions Runs	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Get test result retention settings Update lest result retention settings Add test results for a test run Get sets results for a test run Update test results for a test run Update test results for a test run Get sets reprojects referition settings Updates the projects referition settings Update results in a test value project set for set f	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Revisions Rows Revisions Rows	Generic endpoint Update test result retention settings Update test results retention settings Update test results to a test run Get test results for a test run Update test results for a test run Update test results for a test run Update test results for a test run Get a test results for a test run Get a test result for a test run Get a test result for a test run Get best results for a feed Starts the operation policy for a feed Starts the operation policy for a feed Starts the operation policy for a feed Starts the operation best results for a specific branch Retrieve information about a revert operation by revert ID Retrieve all revisions for a given policy by ID Get rows on a bourd Get rows on a board Get to so no board Get to so no board Get so policy for a particular pipeline Get a run for a particular pipeline Get a run for a particular pipeline Get a test run by its ID Get et acts run by its ID Get a test run by its ID Get at lest run by its	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources	Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results for a test run Update test results for a test run Update test results for a test run Get a test result for a test run Update test results for a test run Get a test result for a test run Get a test run by tas ID Get at last role covered and administration permissions Set a service-wide permissions that govern fleed creation and administration Materialize an existing and service principal in the ded account Get a lest role principal by tas descriptor Create a service principal Get a service principal in gene soope Dasabes a service principal in gene soope Dasabes a service principal in gene soope Dasabes a service principal in gene and a feet result for the service and a service principal in gene soope Dasabes a service principal in gene and administration for the service and a service principal in gene soope Dasabes a service principal in gene soope	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows Service settings	Generic endpoint Get set result retention settings Update test result retention settings Add test results to a test run Get set sersults for a test run Update test results in a test run Update test results in a test run Get set sersults for a test run Get set sersults for a test run Get set sersult for a test run Get set service sersult for a test run Get set service sersult for a test for a particular pipeline Gest so run both of test runs Get a test run by its ID Get at set run by its ID Get at set run by its ID Get at lest run by its ID Get at service-wide feed creation and administration permissions Set service-wide permissions that govern feed creation and administration Materialize an existing and service principal in the ado account Get at service principals by its descriptor Create a test session Get all set of test sessions	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows Service settings	Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Update test results for a test run Get sets the project's retention settings Updates the retention policy for a feed Get the retention policy for a feed Set the retention policy for a feed Set the retention policy for a feed Starts the operation to create a new branch which reverts changes introduced by either a specific commit or commits that are associated to a pull request Retrieve information about a revert operation for a specific branch Retrieve all revisions for a given policy by revert ID Retrieve all revisions for a given policy by ID Get rows on a board Update rows on a board Update rows on a board Gets top 10000 runs for a particular pipeline Runs a pipeline Get as a run for a particular pipeline Create new test run Delete a test run by its ID Get at last run by its descriptor Create a last session Update last session	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows Runs Runs Service settings	Generic endpoint Get set result retention settings Update test result retention settings Add test results to a test run Get set sersults for a test run Update test results in a test run Update test results in a test run Get set sersults for a test run Get set sersults for a test run Get set sersult for a test run Get set service sersult for a test run Get set service sersult for a test for a particular pipeline Gest so run both of test runs Get a test run by its ID Get at set run by its ID Get at set run by its ID Get at lest run by its ID Get at service-wide feed creation and administration permissions Set service-wide permissions that govern feed creation and administration Materialize an existing and service principal in the ado account Get at service principals by its descriptor Create a test session Get all set of test sessions	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x
Resource usage Resources Result retention settings Results Retention Retention policies Reverts Revisions Rows Runs Service settings	Generic endpoint Get test result retention settings Update test result retention settings Update test results for a test run Get test results for a test run Get test results for a test run Update test results in a test run Get a test result for a test run Get set result for a test run Update test results in a test run Get set test result for a test run Get set test run by test D Update test run by its ID Get et set run by its ID Get et set run by its ID Get et set run by its ID Get et a service-wide feed creation and administration permissions Set et envice-wide permissions that govern feed creation and administration Materialize an existing and service principals in a given scope Disables a service principals by its descriptor Create new service principals in a given scope Disables a service principals by its descriptor Create a service principals by its descriptor Get at service principals by its descriptor Create a service principals in a given scope Disables a service principals by its descriptor Get at lest of test session Get a list of lest session	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x

	Gets a list of branches for the given source code repository	X	
	Gets the contents of a file in the given source code repository	X	
	Gets the contents of a directory in the given source code repository	X	
	Gets a pull request object from source provider	X	
	Gets a list of source code repositories	X	
	Recreates the webhooks for the specified triggers in the given source code repository		Х
Source providers	Gets a list of webhooks installed in the given source code repository Update a build stage	X	Х
stages stats	Retrieve statistics about all branches within a repository	X	^
status	Gets the build status for a definition, optionally scoped to a specific branch, stage, job, and configuration	X	
	Create Git commit status		Х
tatuses	Get statuses associated with the Git commit	X	
torage keys	Resolve a descriptor to a storage key	X	
	Create new audit stream		Х
	Return all audit streams scoped to an organization	X	
	Update existing audit stream		X
	Delete audit stream Return audit stream with id of streamid if one exists otherwise throw	X	Х
treams	Update existing audit stream status	^	х
ubject lookup	Resolve descriptors to users, groups or scopes (subjects) in a batch		X
ubject query	Search for azure devops users, or/and groups		X
,,	Get delivery preferences of a notifications subscriber	X	
ubscribers	Update delivery preferences of a notifications subscriber		Х
	Query for subscriptions. a subscription is returned if it matches one or more of the specified conditions		Х
	Create a new subscription		Х
	Get a list of notification subscriptions	X	
	Delete a subscription		Х
	Get a notification subscription by its ID	X	
	Update an existing subscription Update the specified user's settings for the specified subscription		X
ubscriptions	Opdate the specified user's settings for the specified subscription Get available subscription templates	X	^
uggestions	Retrieve a pull request suggestion for a particular repository or team project	X	
	Get alert summary by severity for the org	×	
ummary dashboard	Generic endpoint	x	
msrv	Given a client key, returns the best matched debug entry	X	
	Adds tags to a build		Х
	Gets the tags for a build	X	
	Adds/removes tags from a build		Х
	Adds a tag to a build		X
	Removes a tag from a build		X
	Adds multiple tags to a definition	V	Х
	Gets the tags for a definition Adds/removes tags from a definition	X	х
	Adds a tag to a definition		×
	Removes a tag from a definition		X
	Gets a list of all build tags in the project	X	
ags	Removes a tag from builds, definitions, and from the tag store		Х
	Get a list of deployment targets in a deployment group	X	
	Update tags of a list of deployment targets in a deployment group		Х
	Delete a deployment target in a deployment group. this deletes the agent from associated deployment pool too		Х
argets	Get a deployment target by its id in a deployment group	X	
	Generic endpoint	X	
askboard columns	Generic endpoint	X	Х
skboard work items	Generic endpoint Generic endpoint	^	X
iskboard work items	Create a task group		×
	Delete a task group		X
	List task groups	X	
askgroups	Update a task group		Х
	Get team's days off for an iteration	X	
am days off	Set a team's days off for an iteration		Х
	Get a collection of team field values	X	
eam field values	Update team field values		Х
	Get a team's settings	X	
am settings	Update a team's settings		X
	Create a team in a team project Get a list of teams		Х
	Get a list of teams Delete a team	X	Х
	Get a specific team	X	
	Update a team's name and/or description	^	Х
	Get a list of members for a specific team	X	
eams	Get a list of all teams	X	
	Gets all definition templates	X	
	Deletes a build definition template		х
	Gets a specific build definition template	X	
emplates	Updates an existing build definition template		Х
	Get all test cases in a suite	X	
	Add test cases to suite		Х
st suites	Get a specific test case in a test suite with test case ID Updates the properties of the test case association in a suite	X	Х
est suites est cases	Updates the properties of the test case association in a suite Delete a test case		X
est history	Get history of a test method using testhistoryquery		×
meline	Gets details for a build	X	^
	Retrieve all available policy types	X	
pes	Retrieve a specific policy type by ID	X	
	Materialize an existing aad or msa user into the ado account		Х
	Get a list of all users in a given scope	X	
	Disables a user		Х
	Get a user by its descriptor	X	
eers		Х	X X

	Delete a variable group		Х
	Update a variable group		х
	Get variable groups by IDs	X	
Variable groups	Get a variable group	X	
	Get all available widget metadata in alphabetical order	X	
Widget types	Get the widget metadata satisfying the specified contribution ID	X	
	Create a widget on the specified dashboard		х
	Get widgets contained on the specified dashboard	X	
	Replace the widgets on specified dashboard with the supplied widgets		X
	Update the supplied widgets on the dashboard using supplied state. state of existing widgets not passed in the widget list is preserved		X
	Delete the specified widget		Х
	Get the current state of the specified widget	X	
	Override the state of the specified widget		Х
Widgets	Perform a partial update of the specified widget		Х
	Reorder sprint backlog/taskboard work items		X
Work items order	Reorder product backlog/boards work items		X
YAML	Converts a definition to YAML, optionally at a specific revision	X	
YAML schema	Get the YAML schema used for YAML file validation	X	