	Endpoint	Export	Import
	Retrieve instances that can be used as values for other endpoint parameters in this service.	X	
bsence management: Prompt values	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve the leave of absence for the specified worker	X	
	Retrieve a collection of eligible absence types for the specified worker	X	
	Retrieve the leaves of absence for a specified worker ID	X	
	Create a time off request for the specified worker ID and initiate the business process		X
	Retrieve the valid time off dates for the specified worker	X	
	Retrieve a collection of workers and current staffing information	X	
	Retrieve a collection of time off details for the specified worker	X	
	Retrieve the valid time off dates for the specified worker ID for the given dates	Х	
	Retrieve a collection of workers and current staffing information	Х	
sence management: Workers	Retrieve the eligible absence type for the specified worker	X	
sence management, workers	Retrieve the engine absence type for the specified worker Retrieve the academic year associated with an academic calendar with the specified ID	X	
		X	
	Retrieve a collection of academic calendars		
and and a section does	Retrieve a collection of the academic years associated with an academic calendar	X	
ademic calendars	Retrieve the academic calendar with the specified ID	X	
	Retrieve the academic level with the specified ID	X	
ademic levels	Retrieve a collection of academic levels	X	
	Retrieve the academic period with the specified ID	X	
cademic periods	Retrieve a collection of academic periods	X	
	Retrieve the academic unit with the specified ID	X	
cademic units	Retrieve a collection of academic units	X	
	Secured by: system monitor administrator, system monitor support scope: system, system health dashboard, tenant non configurable	X	
tive tasks	Secured by: system monitor administrator, system monitor support scope: system, system health dashboard, tenant non configurable	X	
	Retrieve a collection of active user sessions	X	
tive user sessions	Retrieve an active user session	x	
tivity logging	Retrieve a collection of user activity log entries in a specified time frame	X	
, .00 0	Retrieve a collection of ad hoc project time transactions	X	
	Create ad hoc project time transactions	^	Х
has project time transactions		X	^
hoc project time transactions	Retrieve an ad hoc project time transaction instance		
Vale atatuase	Retrieve a list of article version statuses for all articles	X	
icle statuses	Retrieve an article version status for an article	X	
	Retrieve an article version and the plain text content for the article version	X	
ticle versions	Retrieve a list of article versions and the plain text content within each article version	X	
	Upload an attachment when creating a case		Х
tachments	Return attachments	X	
	Retrieve an audit log instance	X	
udit logs	Retrieve a collection of audit logs	X	
	Retrieve the specified balance of all absence plan and leave of absence types	X	
alances	Retrieve the balance of all absence plan and leave of absence type for the specified worker ID	X	
	Retrieve a collection of billing rate applications for the specified billable transaction	Х	
	Retrieve a single billable transaction instance	Х	
	Partially updates an existing billable transaction instance		Х
	Retrieve a single billing rate application instance	X	^
llable transcations	Retrieve a collection of billable transactions	X	
llable transactions		X	
	Get the buckets permitted by the security profile of the current user	Χ	.,
	Create a new bucket for a table or dataset		Х
	Get bucket by ID	X	
	Edit an existing bucket with the specified name		Х
	Upload a single file to a bucket for a table or dataset		X
	Commit data contained in a bucket into the associated table or dataset		X
	Get bucket error file by ID	V	
uckets	Oct blacket citor file by ib	X	
uckets usiness object	Retrieve a collection of multi instance custom objects	X	
usiness object	Retrieve a collection of multi instance custom objects		
usiness object	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service	X X	
usiness object	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types	X X X	
usiness object usiness process: Prompt values	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type	X X X	
usiness object usiness process: Prompt values usiness process: Types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type	x x x x x	
usiness object usiness process: Prompt values usiness process: Types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance	x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process type Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type	x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance	x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type. Retrieve a list of suggestions based on case type. Retrieve a list of suggestions based on case type.	x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve attachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type.	X X X X X X X X X	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type. Retrieve a list of suggestions based on case type. Retrieve a list of suggestions based on case type.	x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type. Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to	x x x x x x x x x x	X
	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve attachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to	x x x x x x x x x x	X
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tusiness title change instance Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case	x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve attachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to	x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases* tg self service: help case management+ tg scope: help Retrieve a case with the specified ID that the user is secured to view	x x x x x x x x x x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tusiness tritle change instance Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view	x x x x x x x x x x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tachment categories for a business process type Retrieve a tist of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of cases types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a comment timeline item for a case view the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients	x x x x x x x x x x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes use suggestions use types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a business trice change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that worker has access to Retrieve a list of case types that worker has access to Retrieve a list of case types that worker has access to Retrieve a list of comment timeline items for a case Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients	x x x x x x x x x x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes use suggestions use types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tachment categories for a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by; process: help cases+ tg self service; help case management+ tg scope; help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance	x x x x x x x x x x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process type Retrieve a business process type Retrieve a trachment categories for a business process type Retrieve a tist of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Returne a valid oauth client details for ocfr clients Retrieve a collection of currencies	x x x x x x x x x x x x x x x x x x x	
usiness object usiness process: Prompt values usiness process: Types usiness title changes use suggestions use types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a business process type Retrieve a test change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case shat the user is secured to view Create a case Retrieve a list of case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a coulection of currencies Retrieve a coustomer instance	x x x x x x x x x x x x x x x x x x x	
ssiness object siness process: Prompt values siness process: Types siness title changes see suggestions see types see types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tusiness process type Retrieve a tusiness title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases* ty self service: help case management+ ty scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocf clients Return a valid oauth client details for ocf clients Retrieve a currency instance Retrieve a customer instance Retrieve a nactivity instance for a specific customer	x x x x x x x x x x x x x x x x x x x	
ssiness object siness process: Prompt values siness process: Types siness title changes see suggestions see types see types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process type Retrieve a business process type Retrieve a trachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases* tg self service: help case management* tg scope: help Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of currencies Retrieve a collection of activities for a specific customer Retrieve a collection of activities for a specific customer	x x x x x x x x x x x x x x x x x x x	
siness object siness process: Prompt values siness process: Types siness title changes se suggestions se types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tuschment categories for a business process type Retrieve a test of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a cultection of currencies Retrieve a cultection of currencies Retrieve a collection of activities for a specific customer Retrieve a collection of supervisory organizations	x x x x x x x x x x x x x x x x x x x	
ssiness object siness process: Prompt values siness process: Types siness title changes see suggestions see types see types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process type Retrieve a business process type Retrieve a trachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases* tg self service: help case management* tg scope: help Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of currencies Retrieve a collection of activities for a specific customer Retrieve a collection of activities for a specific customer	x x x x x x x x x x x x x x x x x x x	
ssiness object siness process: Prompt values siness process: Types siness title changes see suggestions see types see types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tuschment categories for a business process type Retrieve a test of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a cultection of currencies Retrieve a cultection of currencies Retrieve a collection of activities for a specific customer Retrieve a collection of supervisory organizations	x x x x x x x x x x x x x x x x x x x	
isiness object siness process: Prompt values siness process: Types siness title changes use suggestions use types ent details	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tusiness process type Retrieve attachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that worker has access to Retrieve a list of case types that worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for octr clients Returne a valid oauth client details for octr clients Retrieve a cultection of currencies Retrieve a cultection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a sollection of supervisory organizations Retrieve a supervisory organization instance	x x x x x x x x x x x x x x x x x x x	
siness object siness process: Prompt values siness process: Types siness title changes se suggestions se types ses ent details mmon: Currencies	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a tusiness process type Retrieve a tusiness process for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ ty self service: help case management+ ty scope: help Retrieve a comment timeline item for a case secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for octr clients Return a valid oauth client details for octr clients Returieve a culrector of currencies Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of activities for a specific customer Retrieve a collection of activities for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization	x x x x x x x x x x x x x x x x x x x	
isiness object siness process: Prompt values siness process: Types siness title changes ses suggestions ses types ses types ses with details siness title changes ses suggestions ses types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a business process type Retrieve a tuschment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a case list of comment timeline items for a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a cultection of currencies Retrieve a cultection of currencies Retrieve a cultection of supervisory organizations Retrieve a osllection of supervisory organizations Retrieve a worker instance for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Validate the allowed and required worktag types and working combinations	x x x x x x x x x x x x x x x x x x x	X
isiness object siness process: Prompt values siness process: Types siness title changes ses suggestions ses types ses types ses with details siness title changes ses suggestions ses types	Retrieve a collection of multi instance custom objects Retrieve all business process type Retrieve all business process type Retrieve a business the change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for octr clients Return a valid oauth client details for octr clients Retrieve a currency instance Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a supervisory organization instance Retrieve a worker instance for a specific customer Retrieve a worker instance for a specific customer Retrieve a worker instance for a specific supervisory organization Retrieve a worker instance for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of plan for a specific owner organization Retrieve a collection of plan for a specific owner organization Retrieve a collection of plan for a specific worker	x x x x x x x x x x x x x x x x x x x	X
usiness object usiness process: Prompt values usiness process: Types usiness title changes use suggestions use types uses types uses uses user types user	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a dusiness process type Retrieve a susiness title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of cases types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Secured by: process: help cases+ ty self service: help case management+ ty scope: help Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified in the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Returieve a currency instance Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of activities for a specific customer Retrieve a collection of supervisory organizations Retrieve a worker instance for a specific supervisory organization Retrieve a particular time of plan for a specific supervisory organization Retrieve a pollection of workers for a specific supervisory organization Retrieve a particular time of plan for a specific worker Retrieve a pusiness title change instance for a specific worker	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve all business process types Retrieve a business process type Retrieve a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of ocase types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases with the specified ID that the user is secured to view Create a case Retrieve a list of cases with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a culiection of currencies Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of surpervisory organizations Retrieve a collection of supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a business title change instance for a specific worker Retrieve a business title change instance for a specific worker Secured by: change my business title scope: staffing	x x x x x x x x x x x x x x x x x x x	X
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve all business process type Retrieve all business process type Retrieve a business the change for a business process type Retrieve a business till change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases* ty self service: help case management* ty scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a worker instance for a specific customer Retrieve a worker instance for a specific supervisory organization Retrieve a supervisory organization instance Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific worker Retrieve a collection of inbox tasks for a specific worker Retrieve a collection of inbox tasks for a specific worker	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve al business process type Retrieve a business process type Retrieve a tutachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case set ypes that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline tent for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a collection of workers for a specific supervisory organization Retrieve a particular time oft plan for a specific supervisory organization Retrieve a particular time oft plan for a specific supervisory organization Retrieve a collection of books tasks for a specific worker Retrieve a collection of books tasks for a specific worker Retrieve a collection of books tasks for a specific worker Retrieve a collection of specific supervisory organization instance Retrieve a collection of specific worker	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve albusiness process type Retrieve a business process type Retrieve a business the change instance Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ ty self service: help case management+ ty scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a cumment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Returne a valid oauth client details for ocfr clients Retrieve a culterion of currencies Retrieve a culterion of activities for a specific customer Retrieve a culterion of supervisory organization Retrieve a collection of sucrivities for a specific supervisory organization Retrieve a subrevisory organization instance Retrieve a subrevisory organization instance Retrieve a business title change instance for a specific worker Retrieve a business title change instance for a specific worker Retrieve a collection of hibox tasks for a specific worker Retrieve a collection of hibox tasks for a specific worker Retrieve a collection of hibox tasks for a specific worker Retrieve a collection of hibox tasks for a specific worker	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve al business process type Retrieve a business process type Retrieve a tutachment categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case set ypes that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of cases that the user is secured to view Create a case Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline tent for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a collection of workers for a specific supervisory organization Retrieve a particular time oft plan for a specific supervisory organization Retrieve a particular time oft plan for a specific supervisory organization Retrieve a collection of books tasks for a specific worker Retrieve a collection of books tasks for a specific worker Retrieve a collection of books tasks for a specific worker Retrieve a collection of specific supervisory organization instance Retrieve a collection of specific worker	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve albusiness process type Retrieve a business process type Retrieve a business the change instance Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ ty self service: help case management+ ty scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a cumment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Returne a valid oauth client details for ocfr clients Retrieve a culterion of currencies Retrieve a culterion of activities for a specific customer Retrieve a culterion of supervisory organization Retrieve a collection of sucrivities for a specific supervisory organization Retrieve a subrevisory organization instance Retrieve a subrevisory organization instance Retrieve a business title change instance for a specific worker Retrieve a business title change instance for a specific worker Retrieve a collection of hibox tasks for a specific worker Retrieve a collection of hibox tasks for a specific worker Retrieve a collection of hibox tasks for a specific worker Retrieve a collection of hibox tasks for a specific worker	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes use suggestions use types uses types uses uses user types user	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve a business trocess type Retrieve a business trocess type Retrieve a business the change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a list of comment timeline items for a case Secured by: process: help cases+ tg self service: help case management+ tg scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ord relients Return a valid oauth client details for ord relients Retrieve a currency instance Retrieve a customer instance Retrieve a culection of currencies Retrieve a customer instance Retrieve a culection of supervisory organizations Retrieve a culection of supervisory organizations Retrieve a supervisory organization instance Retrieve a supervisory organization instance Retrieve a culection of workers for a specific supervisory organization Retrieve a collection of workers for a specific worker Retrieve a collection of horse times for a specific worker Retrieve a collection of instance for a specific worker Retrieve a collection of instance for a specific worker Retrieve a collection of history items for a specific worker Retrieve a collection of history items for a specific worker Retrieve a collection of history items for a specific worker Retrieve a collection of history items for a specific worker Retrieve a collection of history items for a specific worker Retrieve a collection of history items f	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve al business process type Retrieve a business process type Retrieve a business process type Retrieve a business title change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a case Retrieve a list of comment timeline terms for a case Secured by process. help cases+ ty self service: help case management+ ty scope: help Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ord: clients Return a valid oauth client details for ord: clients Return a valid oauth client details for ord: clients Retrieve a currency instance Retrieve a culcetion of currencies Retrieve a culcetion of currencies Retrieve a culcetion of activities for a specific customer Retrieve a collection of activities for a specific customer Retrieve a collection of activities for a specific customer Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of workers for a specific supervisory organization Retrieve a collection of history terms for a specific worker Retrieve a collection of history terms for a specific worker Retrieve a collection of history terms for a specific worker Retrieve a collection of history terms for a specific worker Retrieve a collection of history terms for a specific worker Retrieve a collection of organizations for a specific worker Retrieve a collection of organizations for a specific worke	x x x x x x x x x x x x x x x x x x x	x
usiness object usiness process: Prompt values usiness process: Types usiness title changes ase suggestions ase types see types definition of the control o	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve a business process type Retrieve a lation categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a case list of comment timeline items for a case Secured by: process: help cases type service: help case management+ ty scope: help Retrieve a case with the specified Ib that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of currencies Retrieve a collection of subvisies for a specific customer Retrieve a collection of subvisies for a specific customer Retrieve a collection of subvisies for a specific customer Retrieve a collection of subvisies for a specific customer Retrieve a vorteer instance for a specific customer Retrieve a particular time off plan for a specific supervisory organization Retrieve a collection of subvises for a specific worker Retrieve a collection of workers for a specific worker Retrieve a collection of subvises for a specific worker Retrieve a collection of nothers tasks for a specific worker Retrieve a collection of nothers Retrieve a collection of nothers for a specific worker Retrieve a collection of supervisory organizations managed by a specific worker	x x x x x x x x x x x x x x x x x x x	x
isiness object siness process: Prompt values siness process: Types siness title changes ses suggestions ses types ses types ses with details siness title changes ses suggestions ses types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve a business process type Retrieve a business process type Retrieve a business process type Retrieve a business titte change instance Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of comment timeline items for a case Retrieve a case Retrieve a case Retrieve a case with the specified ID that the user is secured to view Retrieve a case with the specified ID that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ordr clients Return a valid oauth client details for ordr clients Return a valid oauth client details for ordr clients Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of currencies Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a collection of supervisory organizations Retrieve a supervisory organizations Retrieve a supervisory organizations Retrieve a supervisory organizations Retrieve a particular time off plan for a specific customer Retrieve a particular time off plan for a specific worker Retrieve a collection of workers for a specific worker Retrieve a collection of instance for a specific worker Retrieve a collection of organizations for a specific worker Retrieve a collection of supervisory organizations managed by a specific worker Retrieve a collection of supervisory organizations managed by a specific worker	x x x x x x x x x x x x x x x x x x x	x x
isiness object siness process: Prompt values siness process: Types siness title changes ses suggestions ses types ses types ses with details siness title changes ses suggestions ses types	Retrieve a collection of multi instance custom objects Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve a business process type Retrieve a lation categories for a business process type Retrieve a list of suggestions based on case type Retrieve a list of suggestions based on case type. Retrieve a list of case types that a worker has access to Retrieve a list of case types that a worker has access to Retrieve a list of cases types that a worker has access to Retrieve a list of cases that the user is secured to view Create a case Retrieve a case list of comment timeline items for a case Secured by: process: help cases type service: help case management+ ty scope: help Retrieve a case with the specified Ib that the user is secured to view Retrieve a comment timeline item for a case with the specified timeline ID Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Return a valid oauth client details for ocfr clients Retrieve a currency instance Retrieve a collection of currencies Retrieve a collection of currencies Retrieve a collection of subvisies for a specific customer Retrieve a collection of subvisies for a specific customer Retrieve a collection of subvisies for a specific customer Retrieve a collection of subvisies for a specific customer Retrieve a vorteer instance for a specific customer Retrieve a particular time off plan for a specific supervisory organization Retrieve a collection of subvises for a specific worker Retrieve a collection of workers for a specific worker Retrieve a collection of subvises for a specific worker Retrieve a collection of nothers tasks for a specific worker Retrieve a collection of nothers Retrieve a collection of nothers for a specific worker Retrieve a collection of supervisory organizations managed by a specific worker	x x x x x x x x x x x x x x x x x x x	x

	Retrieve a pay slip instance for a specific worker	X	
	Retrieve an inbox task instance for a specific worker	X	
	Retrieve a direct report instance for a specific worker Retrieve a collection of time off plans for a specific worker	X	
	Retrieve a collection of line on plans for a specific worker Retrieve a collection of business title changes for a specific worker	X	
	Create a business title change instance with the specified data	^	Х
	Retrieve a worker instance	Х	^
	Retrieve a supervisory organization managed by a specific worker	X	
Common: Workers	Retrieve a collection of time off entries for a specific worker	X	
	Retrieve a worker instance	X	
	Retrieve a collection of workers	X	
Compensation: Workers	Request a one time payment for a worker with the specified ID		Х
	Retrieve tenant setup configurations related to help case management	X	
Configuration	Retrieve tenant setup configurations related to help case management	X	
	Retrieve all companies or company hierarchies the user has access to	X	
Contract compliance: Prompt values	Retrieve all contract types the user has access to	X	
	Retrieve the details on all currencies in your tenant	X	
Core accounting: Currencies	Retrieve the details of a specified currency	X	
	Retrieve information about a country	X	
	Retrieve the allowed address components and their configuration for the country and a given address configuration format	X	
Countries	Retrieve a collection of configuration information about name components Retrieve a collection of information about countries	X	
Countries	Retrieve a collection of information about countries Retrieve a collection of course sections secured by: manage: curriculum management scope: student records	X	
	Retrieve a collection of course sections secured by: manage: curriculum management scope: student records	X	
	Retrieve a collection of course subjects secured by: manage: curriculum management scope: student records	X	
Course sections	Retrieve a collection of course subjects secured by: manage: curriculum management scope: student records	X	
	Retrieve a collection of courses secured by: manage: curriculum management scope: student records	X	
Courses	Retrieve a collection of courses secured by: manage: curriculum management scope: student records	X	
Create mentorship for me	Create a mentorship for the current processing worker where the user is also the mentee		Х
Create mentorship for worker	Create a mentorship between two workers		Х
	Update cube sheet definition		Х
Cube sheet definition	Delete cube sheet definition		Х
	Create instances of multi instance custom objects		Х
	Get a specific instance of a multi instance custom object	X	
	Update an instance of a multi instance custom object		X
Custom object data multi instance: Custom objects	Delete an instance of a custom object		X
	Create a new or update an existing instance of a custom object		Х
	Retrieve a custom object instance	X	
Outline ablant data also be best and a Contrar ablants	Update a custom object instance		X
Custom object data single instance: Custom objects	Delete a custom object instance Retrieve a single customer instance	X	χ
Customer accounts: Customers	Retrieve a single customer instance Retrieve a collection of customers	X	
Customer accounts. Customers	Get data changes accessible by a user	X	
	Gets data change associated with ID	X	
	Execute data change by ID	A	Х
	Get details of the activity specified by activity ID	X	
	Validate data change specified by data change ID	X	
	Cancel data change specified by data change ID and activity ID		X
	Create new filecontainer		X
	Get all files for a file container	X	
Data changes	Load file into file container		Х
	Retrieve a collection of validations in a custom object definition	X	
	Secured by: custom object management scope: system		X
	Retrieve a validation in a custom object definition	X	
	Update an existing validation in a custom object definition		X
	Delete a validation in a custom object definition		Х
	Secured by: custom object management scope: system		Х
	Retrieve a custom object definition	X	
	Update an existing custom object definition		X
	Delete a custom object definition	· · · · · · · · · · · · · · · · · · ·	Х
	Retrieve a collection of custom object definitions Secured by: custom object management scope: system	X	X
	Secureo by: custom object management scope: system Retrieve a collection of condition rules in a custom object definition	X	^
	Secured by: custom object management scope: system	^	Х
	Retrieve a condition rule in a custom object definition	х	^
	Update an existing condition rule in a custom object definition		Х
	Delete a condition rule in a custom object definition		X
	Retrieve a field in a custom object definition	X	
			X
	Update an existing field in a custom object definition		^
	Delete a field in a custom object definition		X
	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition	x	
Definitions	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system		
	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials	x	Х
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials		X
	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents	X X	Х
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credential in the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense	x	X X
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance	X X	x x x
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID	X X	x x x
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body	x x	x x x
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses with the specified wid for the fields provided in the request body	X X	X X X X X X
Educational credentials Electronic reporting runs	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve a inspiration of create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance	x x	x x x
Educational credentials Electronic reporting runs	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses with the specified wid for the fields provided in the request body	x x	X X X X X X X
Educational credentials Electronic reporting runs	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance Create a quick expense instance	x x x	X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expenses with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule	x x x	X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule Update a specific vendor response instance of event driven integration	x x x	X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve a single instance of a quick expense Update an existing quick expense instance Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance Create a quick expense instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a single event driven integration vendor response	x x x	X X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expenses with the specified wild for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expenses instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a single event driven integration vendor response Post an action for a to do step in a business process	x x x	X X X X X X X X
Educational credentials	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expenses with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses with the specified wid for the fields provided in the request body Retrieve a quick expenses instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a single event driven integration vendor response Post an action for a to do step in a business process Retrieve business process event steps	x x x	X X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a finite provided in the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expense with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worklags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a single event driven integration vendor response Post an action for a to do step in a business process Retrieve business process event steps Retrieve business process event steps Retrieve a business process event steps	x x x	X X X X X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules Event driven integration vendor response	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expenses with the specified w ID Partially updates an existing quick expenses with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expenses instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a single event driven integration vendor response Post an action for a to do step in a business process Retrieve business process event step Deny a business process event step Deny a business process event step Approve a business process event step	x x x	X X X X X X X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expense with the specified w ID Partially updates an existing quick expenses with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expense instance Create a quick expense instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worklags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a brighe event driven integration rendor response Post an action for a to do step in a business process Retrieve business process event step Deny a business process event step Post an action for a complete questionnaire step in a business process Approve a business process event step Send back a business process event step	x x x x	X X X X X X X X X X X
Educational credentials Electronic reporting runs Entries Evaluate account posting rules Event driven integration vendor response	Delete a field in a custom object definition Retrieve a collection of fields in a custom object definition Secured by: custom object management scope: system Retrieve a collection of educational credentials Retrieve a collection of educational credentials Retrieve the educational credential with the specified ID Enable applications to create information on electronic reporting of customer and supplier invoice documents Retrieve a single instance of a quick expense Update an existing quick expense instance Delete a quick expenses with the specified w ID Partially updates an existing quick expenses with the specified wid for the fields provided in the request body Retrieve a collection of quick expenses Create a quick expenses instance Create new attachments for the existing expense entry Retrieve the ledger account and resulting worktags of a specified account posting rule Update a specific vendor response instance of event driven integration Retrieve a single event driven integration vendor response Post an action for a to do step in a business process Retrieve business process event step Deny a business process event step Deny a business process event step Approve a business process event step	x x x	X X X X X X X X X X X X X

	Retrieve comments for a business process event X	
	Retrieve in progress steps for a business process event X	
events	Retrieve remaining steps for a business process event X Retrieve a business process event X	
venis	Netterer a utualities process event A Fetch exchange rate types X	
	Exchange rate types	X
change rate type	Delete exchange rate type	X
ionaligo rato typo	Retrieve a single instance of an expense item X	
pense items	Retrieve a collection of expense items X	
,	Retrieve contact details for a single external case contact instance X	
	Retrieve a collection of external contact details X	
kternal creators	Create external case contacts	Х
	Retrieve a collection of active feedback badges X	
edback badges	Retrieve a feedback badge with the specified ID X	
3	Retrieve a collection of custom field types X	
	Secured by: custom object management scope: system	Х
	Retrieve a list value for a custom lists in a custom object definition X	
	Update an existing list value in a custom object definition	х
	Retrieve a custom field type X	
	Update an existing custom field type	Х
	Retrieve a collection of list values for a custom list in a custom object definition X	
eld types	Secured by: custom object management scope: system	Х
nd types	Retrieve a payroll interface pay group X	
	Retrieve a collection of payroll periods for the specified payroll interface pay group ID X	
	Retrieve a payroll period for the specified payroll interface pay group ID X	
	Partially updates an existing pay period by the specified pay group ID	Х
obal payroll: Pay groups	Retrieve a collection of payroll interface pay groups X	
liday events	Secured by: self-service X	
,	Retrieve all existing web addresses staged for update by the parent business process X	
	Create a new web address staged to upone by up pareit ubsiness process Create a new web address staged by the parent business process event	X
	Cleate a new web adules angled by the parent utualises process event Return basic information about the home contact change event X	_ ^
	Retiring ask, minimation about are former contact utality even. A Retiries all existing phone numbers staged for update by the parent business process X	
	Create a new phone number staged by the parent business process Create a new phone number staged by the parent business process A	X
	Create a new priorie number staged by the parent business process event. Retrieve all existing addresses staged for update by the parent business process. X	^
	Create a new email address staged by the parent business process Create a new email address staged to the parent business process event	X
	Citate a new enian accress stage up vine parient consiness process event. Retrieve all existing addresses staged for update by the parent business process X	^
	Create a new address staged to the parent business process event Create a new address staged by the parent business process event	X
	Retrieve instant messenger as it exists staged for update by the parent business process X	
	Remove the specified instant messenger	X
	Partially update an existing instant messenger that is staged for update by the parent business process event	X
	Retrieve web address as it exists staged for update by the parent business process X	
	Network the specified instant messenger or update by tile paterit business process A Remove the specified instant messenger	X
	Partially update an existing web address that is staged for update by the parent business process event	X
	r a using upurez an existing were adurtess that its staget in upurate by the parent business process event. Retrieve phone number as it exists staged for update by the parent business process. X	^
	Remove the specified phone number A Remove the specified phone number	X
	Partially update an existing phone number that is staged for update by the parent business process event	×
	Submit the specified contact change ID	X
	Retrieve all existing instant messengers staged for update by the parent business process X	
	Create a new instant messenger staged by the parent business process event	X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process X	
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process X Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process	s cı X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that its staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact	s cı X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business proces Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process X	s co X inf X
mo costad information changes	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event	s ca X inf X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address skisted before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address	s co X inf X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business proces. Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address Get workers X	s ca X inf X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business proces Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event X	s ca X inf X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address Get workers X Retrieve an immigration event X Retrieve a dependent immigration data instance for the specified student ID	s c X X X X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core	s ca X inf X X X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business proces Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data	s ca X inf X X X X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business proces Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event X Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event	s ca X inf X X X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event	x x x x x
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Retrieve an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core	s ca X inf X X X X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business proces Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an collection of dependent immigration data for the specified student ID X	x x x x x x x
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified immigration event Create dependent immigration data for the specified immigration event Create dependent immigration data for the specified immigration event	x x x x x
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event dependent immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID X Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Retrieve a collection of immigration data for the specified student ID Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration events	x x x x x x x
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve an existing address that is staged for update by the parent business process event Remove the specified address Get workers Retrieve an immigration event Retrieve an immigration event data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration atta instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified minigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID	X X X X X X
	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve a immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified immigration event ID Create an immigration data with the specified immigration event ID Create an immigration data with the specified immigration event ID	x x x x x x x
man resources	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve a immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID X Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event to	X X X X X X X
man resources	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process. Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve and existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve an immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified student ID X Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Secured by: self service: student external site user access, student data: immigration scope: academic foundation, stude	X X X X X X X
man resources	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process Get workers Retrieve a didress as it exists staged for update by the parent business process event Remove the specified address Get workers Retrieve a immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create an immigration data with the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of interieval site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of interievals	X X X X X X X
man resources	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve a immigration event Retrieve an immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration data instance for the specified immigration event Retrieve a collection of dependent immigration data: immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified student ID X Create dependent immigration data for the specified student ID X Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration	X X X X X X X
man resources	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve an immigration of ata instance for the specified student ID X Retrieve an immigration event dependent immigration data Submit an immigration event dependent immigration data Submit an immigration event Retrieve a minmigration event Retrieve a minmigration event Retrieve a minmigration event Retrieve a collection of dependent immigration data for the specified student ID X Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID X Create dependent immigration event Retrieve a collection of immigration event X Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of interviews Retrieve a collection of interviews Retrieve interview feedback	X X X X X X X X
nigration events	Create a new instant messenger staged by the parent business process Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home emal scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve a immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration event Retrieve a collection of dependent immigration event Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration events X Retrieve a collection of immigration data for the specified student ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration events Retrieve a collection of immigration events Retrieve a collection of immigration events Retrieve a collection	X X X X X X X
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address if this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve a differs an immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of interviews Re	x x x x x x x x x x
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address it his address sexisted before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve a diverse an existing address that is staged for update by the parent business process event Remove the specified address Retrieve an immigration event Retrieve an immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration of adependent immigration data for the specified immigration event Retrieve a collection of dependent immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of interviews Retrieve a collection of interviews Retrieve interview feedback for the specified ID Retriev	x x x x x x x x x x
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address it his address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve a diverse state it is staged for update by the parent business process event Remove the specified address Get workers Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event the specified immigration event Retrieve an immigration data instance for the specified immigration scope: academic foundation, student core Retrieve an immigration data instance for the specified immigration scope: academic foundation, student core Retrieve an immigration data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create dependent immigration data for the specified immigration scope: academic foundation, student core X Retrieve a collection of interviews Retrieve a collection of interviews Retrieve a collection of interview feedback for the specified ID Secured by: self service: st	x x x x x x x x x x
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address exists defect for the current business process Partially update an existing email address. If this address existed before the start of the current business process. Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Detete immigration event Retrieve an immigration data instance for the specified mimigration event Retrieve a collection of dependent immigration data for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student c	x x x x x x x x x x
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If it is address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Remove the specified address Get workers Retrieve a dipendent immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve a collection of data instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration data for the specified immigration scope: academic foundation, student core X Retrieve a collection of interviews Retrieve a collection of interviews Retrieve a collection of interviews Retrieve a single customer invoice or adjustment in	X X X X X X X X
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process. Remove the specified email address and address existed before the start of the current business process, it won't be removed from the target person until the parent business process. Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as at exists staged for update by the parent business process event. Remove the specified address Get workers Get workers Retrieve a dependent immigration event Retrieve a immigration event dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retrieve an immigration event Retrieve a oliection of dependent immigration data Submit an immigration event Retrieve a collection of dependent immigration data Submit an immigration event Retrieve a collection of dependent immigration data for the specified student ID Create doependent immigration data for the specified student ID X Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration events Retrieve a collection of immigration events Retrieve a collection of interviews R	x x x x x x x x x x
nigration events	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process. Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process. Partially update an existing email address that its staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Retrieve address staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Retrieve address at it exists staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Retrieve and immigration event dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration events Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a	X X X X X X X X
nigration events rviews ice PDFs	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address exists the device the start of the current business process. It won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration data instance for the specified immigration event Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create an immigration of the immigration data for the specified student ID Create an immigration data with the specified immigration event Retrieve a collection of immigration data for the specified student ID Create an immigration data with the specified ID Retrieve a collection of immigration event selection of immigration event selection of immigration data for the specified ID Retrieve a collection of interviews Retrieve a collection of interview feedback for the specified ID Retrieve a collection of interviews Retrieve a collection of customer inv	X X X X X X X X
nigration events rviews slice PDFs	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process. Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process. Partially update an existing email address that its staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Retrieve address staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Retrieve an immigration exit is staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Retrieve an immigration event and is staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: a cademic foundation and the self self self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data for the specified immigration event Secured by: self service: student external site user access, student and site immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified immigration event ID Create dependent immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration events Retrieve a collection of interviews Retrieve a collection of interviews Retrieve a collection of interviews Retrieve a single customer invoice point intance Retri	X X X X X X X X
nigration events riviews ploe PDFs	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address exists the device the start of the current business process. It won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration data instance for the specified immigration event Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified student ID Create an immigration of the immigration data for the specified student ID Create an immigration data with the specified immigration event Retrieve a collection of immigration data for the specified student ID Create an immigration data with the specified ID Retrieve a collection of immigration event selection of immigration event selection of immigration data for the specified ID Retrieve a collection of interviews Retrieve a collection of interview feedback for the specified ID Retrieve a collection of interviews Retrieve a collection of customer inv	X X X X X X X X
nigration events riviews ploe PDFs	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing andress that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Remove the specified address Get workers Retrieve an immigration event Retrieve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration event general immigration event self-service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve an immigration of ata instance for the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified student ID Create an immigration data with the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student co	X X X X X X X X
migration events enviews olice PDFs	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address wetset before the start of the current business process. It won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. secured by: person data: home email, self service: home email scope: contact Retrieve address as it exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve an immigration event dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified student ID Create dependent immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create an immigration data of the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X
migration events enviews olice PDFs	Create a new instant messenger staged by the parent business process event Retireve email address as it exists staged for update by the parent business process Remove the specified email address. At this address with a device the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process event. Secured by: person data: home email, self service: home email scope: contact Remove the specified address sat lexists staged for update by the parent business process event. Remove the specified address Get workers Remove the specified address Retireve an immigration event Retireve an immigration event immigration data instance for the specified student ID Socured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event Retireve an immigration data instance for the specified immigration event Retireve an immigration data instance for the specified immigration event Retireve an collection of dependent immigration data for the specified student ID X Create dependent immigration data for the specified immigration event Retireve a collection of immigration data for the specified student ID X Create dependent immigration data for the specified immigration event Retireve a collection of immigration data for the specified immigration event ID Create an immigration data with the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retireve a collection of immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retireve a collection of immigration data for the specified immigration event ID Secured by: self service: student external site user access, s	X X X X X X X X X X X X X X X X X X X
migration events erviews olce PDFs olces	Create a new instant messenger staged by the parent business process Retrieve email address as it exists staged for update by the parent business process. Remove the specified email address. At this address with the bertie the start of the current business process, it won't be removed from the target person until the parent business process. Partially update an existing email address that is staged for update by the parent business process event. Retrieve address as it exists staged for update by the parent business process event. Remove the specified address and the staged for update by the parent business process event. Remove the specified address. Get workers Retrieve an immigration event Retrieve an immigration event dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve an immigration data instance for the specified immigration event Retrieve a collection of immigration adata for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Create dependent immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration event is a miningration of immigration adata for the specified Immigration scope: academic foundation, student core Retrieve a collection of immigration adata for the specified immigration scope: academic foundation, student core Retrieve a collection of interview feetback for the s	X X X X X X X X X X X X X X X X X X X
migration events enviews olice PDFs	Create a new instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Remove the specified email address. If this address existed before the start of the current business process event, secured by: person data: home email, self service: home email scope: contact Retrieve address as alt exists staged for update by the parent business process event, secured by: person data: home email, self service: home email scope: contact Remove the specified address of the staged for update by the parent business process event. Remove the specified address of the staged for update by the parent business process event. Remove the specified address Get workers Retrieve an immigration event Retrieve an immigration event dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Submit an immigration data instance for the specified immigration event Retrieve a collection of dependent immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of interviews Retrieve a single customer invoice port in trun Retrieve a collection of intervi	X X X X X X X X X X X X X X X X X X X
migration events erviews olce PDFs olces	Create a new Indiant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Partially update an existing email address and address address address and address address address and address add	X X X X X X X X X X X X X X X X X X X
migration events erviews olce PDFs olces	Create a new Instant messenger staged by the parent business process event Retrieve email address as it exists staged for update by the parent business process Partially update an existing anali address. If this address existed before the start of the current business process event secured by: person data: home email, self service: home email scope: contact Retrieve address as at exists taged for update by the parent business process event secured by: person data: home email, self service: home email scope: contact Retrieve address as at exists taged for update by the parent business process event. Retrieve a dependent immigration event Retrieve an immigration event Retrieve an immigration event external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Subnit an immigration event Retrieve an immigration atain instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of dependent immigration data Subnit an immigration event Retrieve a collection of expendent immigration ata for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified student ID Create dependent immigration data for the specified immigration event Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration event selected immigration event in the specified immigration event ID Create dependent immigration data for the specified immigration event ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration event is user access, student data: immigration scope: academic foundation, student core X Retrieve a collection of immigration event is user access, student data:	x x x x x x x x x x x x x x x x x x x
me contact information changes man resources migration events arviews olice PDFs olices o change reasons	Create a new instant messenger staged by the parent business process event Retrieve email address as all exists staged for update by the parent business process. It won't be removed from the target person until the parent business proces Partially update an existing email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing address that is staged for update by the parent business process Update an existing address as all exists staged for update by the parent business process Update an existing address that is staged for update by the parent business process Get workers Remove the specified address Get workers Retrieve an immigration event Retrieve an immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Delete immigration event dependent immigration data Subrit an immigration event dependent immigration data Subrit an immigration event Retrieve a collection of expendent immigration data Subrit an immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified immigration event Secured by: self service: student external site user access, student table immigration scope: academic foundation, student core Retrieve a collection of immigration data for the specified immigration event Retrieve a collection of immigration event is access, student data: immigration scope: academic foundation, student core X X X X X X X X X X X X X X X X X X	x x x x x x x x x x x x x x x x x x x
migration events erviews olce PDFs olces	Create a new instant messenger staged by the parent business process event Retireve email address as it exists staged for update by the parent business process. It won't be removed from the target person until the parent business process Partially update an existing address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Get workers Retireve a properties of the specified distinct of the specified student ID Retireve an immigration event Retireve a dependent immigration data instance for the specified student ID Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Detete immigration event Retireve a collection of immigration attains the specified immigration event Secured by: self service: student external site user access, student data: immigration scope: academic foundation, student core Retireve a collection of immigration data for the specified immigration scope: academic foundation, student core Retireve a collection of immigration data for the specified immigration event Retireve a collection of immigration data for the specified immigration event Retireve a collection of immigration data for the specified immigration scope: academic foundation, student core X X Create dependent immigration data for the specified immigration event ID Create an immigration data with the specified immigration event ID X X Create dependent immigration data for the specified immigration scope: academic foundation, student core X X Retireve a collection of immigration data for the specified immigration scope: academic foundation, student core X X Retireve a collection of interviews Retireve a	x x x x x x x x x x x x x x x x x x x
migration events erviews olce PDFs olces	Create a new instant messenger staged by the parent business process Retrieve email address as at exists staged for update by the parent business process Partially update an existing email address. If this address existed before the start of the current business process, it won't be removed from the target person until the parent business process Partially update an existing email address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing control of the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that is staged for update by the parent business process Update an existing address that the stage and update and update and update and update and update and update and	x x x x x x x x x x x x x x x x x x x

	Partially updates the position options for the specified change job ID		Х
	Return the comment information for the specified job change ID	X	
	Retrieve a business title for the specified job change ID	X	V
	Partially updates the business title options for the specified change job ID	· ·	Х
	Retrieve a job classification for the specified job change ID	X	
	Retrieve the administrative options for the specified job change ID Partially updates the administrative options for the specified job change ID	^	Х
	Retrieve a move team option from the specified job change ID	Х	^
	Retrieve the opening options for the specified job change ID	X	
	Retrieve a business title for the specified job change ID	X	
	Retrieve the contract options for the specified change job ID	X	
	Retrieve a single change job event instance	X	
	Submit the specified change job ID	^	Х
	Retrieve a job classification for the specified job change ID	X	
	Partially updates the job classification options for the specified change job ID		Х
	Retrieve the opening options for the specified job change ID	X	
	Partially updates the opening options for the specified change job ID		Х
	Retrieve the contract options for the specified change job ID	X	
	Partially updates the contract options for the specified change job ID		Х
	Retrieve a job profile for the specified job change ID	X	
	Return the comment information for the specified job change ID	X	
Job changes	Partially updates the comment for the specified change job ID		Х
3	Retrieve a collection of job families	X	
Job families	Retrieve a single job family instance	X	
	Retrieve a collection of job postings	X	
Job postings	Retrieve a job posting	x	
. •	Retrieve a collection of job profiles	X	
Job profiles	Retrieve a single job profile instance	X	
	Closes the mentorship		Х
	Edit the mentorship		X
	Get all mentorships	X	•
Mentorships	Get all mentorships	X	
	Retrieve a message template with the specific ID	X	
	Update an existing message template instance	~	Х
	Partially updates an existing message template instance		X
	Retrieve a collection of message templates	X	
Message templates	Secured by: set up: message templates scope: learning core system	~	Х
	Update modeled sheet definition		X
	Delete modeled sheet definition		X
Modeled sheet definition	Validate modeled sheet definition		X
modeled direct definition	Retrieve a collection of notification types	X	
Notification types	Retrieve a notification type	X	
	Retrieve a region for the specified organization assignment change ID	X	
	Retrieve the comment information for the specified organization assignment change ID	X	
	Retrieve a single organization assignment change event instance	X	
	Retrieve the custom organizations for the specified organization assignment change ID	X	
	Partially updates the custom organizations for the specified organization assignment change ID		Х
	Retrieve a business unit for the specified organization assignment change ID	X	
	Partially updates the business unit for the specified organization assignment change ID		Х
	Retrieve the start details for the specified organization assignment change ID	X	
	Partially updates the start details for the specified organization assignment change ID		Х
	Retrieve a company for the specified organization assignment change ID	X	
	Partially updates the company for the specified organization assignment change ID		Х
	Retrieve the costing organizations for the specified organization assignment change ID	X	
	Partially updates the costing organization options for the specified organization assignment change ID	,	Х
	Retrieve the start details for the specified organization assignment change ID	X	
	Retrieve a region for the specified organization assignment change ID	X	
	Partially updates the region for the specified organization assignment change ID		Х
	Retrieve the custom organizations for the specified organization assignment change ID		^,
		X	
	Retrieve the costing organizations for the specified organization assignment change ID Submit the organization changes request for the specified ID and initiate the change organization assignment business process	X	X
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process		Х
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID	X	
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID	x	x
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID	X	Х
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID	x	X X
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position	x x	Х
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID	X X X	X X
Ornanization assignment changes	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID	X X X X X X	X X
Organization assignment changes	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID	x x x x x x x x x	X X
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID	X X X X X X X X X	X X
	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a organization type instance	X X X X X X X X X X X	X X
Organization types	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unif for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve a collection of organizations	X X X X X X X X X X X X	X X
Organization types	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve a collection of organization stance Retrieve a collection of organizations Retrieve a norganization instance	X X X X X X X X X X X X X X X	X X
Organization types Organizations	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization instance Retrieve a single pay group detail instance	x x x x x x x x x x x x x x x x x x	X X
Organization types Organizations	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a organization type instance Retrieve an organization type instance Retrieve a collection of organizations Retrieve a anigel pay group detail instance Retrieve a single pay group detail instance Retrieve a collection of pay group details	X X X X X X X X X X X X X	X X
Organization types Organizations	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve a collection of organizations Retrieve a single pay group detail instance Retrieve a collection of pay group details Retrieve a single customer invoice payment remittance line instance	x x x x x x x x x x x x x x x x x x x	X X
Organization types Organizations	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization instance Retrieve an organization instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment remittance Retrieve a single customer invoice payment remittance	X X X X X X X X X X X X X	X X X
Organization types Organizations Pay group details	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a const center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve an organization type instance Retrieve a norganization instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a osot center for the specified organization assignment change ID Retrieve a organization type instance Retrieve an organization type instance Retrieve a collection of organizations Retrieve a organization instance Retrieve a single pay group detail instance Retrieve a ongelic pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment instance Create customer invoice payments Create customer invoice payment remittance lines	x x x x x x x x x x x x x x x x x x x	X X X
Organization types Organizations Pay group details	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment or or a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization instance Retrieve an organization instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payments Create customer invoice payment remittance lines Retrieve a single pay group detail instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization to forganization of organization instance Retrieve an organization instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment clines Retrieve a single pay group input instance Delete an existing payroll input instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a content for the specified organization assignment change ID Retrieve a organization type instance Retrieve a organization type instance Retrieve an organization of organizations Retrieve an organization instance Retrieve an ingrany group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single payroll input instance Petrieve a single payroll input instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment for a specifiel filed or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a congany for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization type instance Retrieve an organization organizations Retrieve an organization organizations Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single payroll input instance Partially updates an existing payroll input instance Retrieve a origination of payroll input instance Retrieve a origination of payroll input instance Retrieve an organization of payroll input instance Retrieve and successing payroll input instance Retrieve and some or payroll input instance Retrieve and some or payroll input instance Retrieve and some or payroll input instance Retrieve and some organization organization assignment or	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization type instance Retrieve an organization instance Retrieve an organization instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment remittance line instance Create customer invoice payment remittance Create customer invoice payment remittance Delete an existing payroll input instance Partieve a single payroll input instance Retrieve a collection of payrol input instance Retrieve a collection of payrol input instance Partially updates an existing payroll inputs at least one query parameter is required to get data Create payroll inputs	x x x x x x x x x x x x x x x x x x x	x x x
Organization assignment changes Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a content for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve an organization type instance Retrieve a organization type instance Retrieve a organization instance Retrieve a organization instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single payroll input instance Partially updates an existing payroll input instance Retrieve a collection of payroll input instance Retrieve a collection of payroll input instance Retrieve a single payroll input instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a contenter for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve an organization type instance Retrieve a collection of organizations Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single pay roll input instance Partially updates an existing payroll input instance Retrieve a single pay group input instance Retrieve a collection of payroll input instance Retrieve a single pay group input instance Retrieve a single pay group instance Retrieve a single pay group input instance Retrieve a single pay group instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization type instance Retrieve a single pay group detail instance Retrieve an organization instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment remittance lines Retrieve a single customer invoice payment remittance Create customer invoice payment remittance Retrieve a single payroll input instance Partially updates an existing payroll input instance Partially updates an existing payroll input sat least one query parameter is required to get data Create payroll input or fayor input instance Retrieve a single payrol or payrol pot or a specified job ID this method always return one pay group Retrieve te pay group for a specified job ID this method always return one pay group	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment change ID Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve a collection of organization types Retrieve a collection of organizations Retrieve as ingle customer invoice payment emittance Retrieve as ingle pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Create customer invoice payment remittance Retrieve a single payroll input instance Partially updates an existing payroll input instance Retrieve a single payroll input sat least one query parameter is required to get data Create payroll inputs Retrieve a single payroll input sat least one query parameter is required to get data Create payroll inputs Retrieve a single payrol input satance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments Payroli inputs	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve an organization type instance Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single payroll input instance Partially updates an existing payroll input instance Retrieve a collection of payroll input instance Retrieve a collection of payroll input instance Retrieve a single pay group instance Retrieve a single pay group instance Retrieve a single pay group instance Retrieve a single polity input instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment or or a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve an organization type instance Retrieve a collection of organizations Retrieve a collection of organizations Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payments Create customer invoice payment remittance Retrieve a single payroll input instance Partially updates an existing payroll input instance Retrieve a oillection of payroll input instance Retrieve a single payroll input instance Retrieve a single payroll input instance Retrieve a single payrol payroll input instance Retrieve a single pay group instance Retrieve a single pay group instance Retrieve a single payroup instance Retrieve a single pay group instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments Payroll inputs	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve an organization type instance Retrieve a collection of organization of organization assignment change ID Retrieve a collection of organization specified organization assignment change ID Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment collection of pay group details Retrieve a single payroll input instance Delete an existing payroll input instance Partially updates an existing payroll input instance Retrieve a collection of payroll inputs at least one query parameter is required to get data Create payroll inputs Retrieve a collection of pay group instance Retrieve a single pay group for a specified job ID this method always return one pay group Retrieve a single pay group in patance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments Payroll inputs	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Create a new change organization assignment or or a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a business unit for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a organization type instance Retrieve a organization type instance Retrieve a organization type instance Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single pay group in trenittance lines Retrieve a single pay proul input instance Retrieve a single payroll input instance Retrieve a single payroll input instance Retrieve a single payroll input instance Retrieve a sollection of payroll input instance Retrieve a sollection of payroll input instance Retrieve a sollection of payroll input instance Retrieve a single pay group instance Retrieve a single poin binstance Retrieve a single pay group instance Retrieve a single pay group instance Retrieve a single pay group instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments Payroll inputs	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Partially updates the comment for the organization assignment change ID Create a new change organization assignment event for a specifie filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a company for the specified organization assignment change ID Retrieve a content for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a collection of organization types Retrieve an organization in stance Retrieve an organization ype instance Retrieve a collection of pay group detail instance Retrieve a single customer invoice payment emittance line instance Retrieve a single customer invoice payment mentitance line instance Retrieve a single pay group detail instance Retrieve a single payroli input instance Retrieve a single payroli input instance Pertieve a single payroli input instance Create customer invoice payments Create customer invoice payments Retrieve a single payroli input instance Pertieve a collection of payroli input instance Retrieve a single payroli input instance Retrieve a single payroli input instance Retrieve a single pay group instance Retrieve a single pay group for a specified job ID this method always return one pay group Retrieve a single pay group instance	x x x x x x x x x x x x x x x x x x x	x x x
Organization types Organizations Pay group details Payments Payroll inputs	Submit the organization changes request for the specified ID and initiate the change organization assignment business process Retrieve a cost center for the specified organization assignment change ID Partially updates the cost center for the specified organization assignment change ID Retrieve the comment information for the specified organization assignment change ID Create a new change organization assignment or or a specific filled or unfilled position Retrieve a business unit for the specified organization assignment change ID Retrieve a business unit for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a cost center for the specified organization assignment change ID Retrieve a collection of organization types Retrieve a organization type instance Retrieve a organization type instance Retrieve a organization type instance Retrieve a single pay group detail instance Retrieve a single pay group detail instance Retrieve a single customer invoice payment remittance line instance Retrieve a single customer invoice payment instance Create customer invoice payment remittance lines Retrieve a single pay group in trenittance lines Retrieve a single pay proul input instance Retrieve a single payroll input instance Retrieve a single payroll input instance Retrieve a single payroll input instance Retrieve a sollection of payroll input instance Retrieve a sollection of payroll input instance Retrieve a sollection of payroll input instance Retrieve a single pay group instance Retrieve a single poin binstance Retrieve a single pay group instance Retrieve a single pay group instance Retrieve a single pay group instance	x x x x x x x x x x x x x x x x x x x	x x x

Payroll: Prompt values			
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve a collection of personal information	X	
	Retrieve a home address	X	
	Retrieve an additional name	X	
	Retrieve a collection of audio name pronunciations	X	
	Retrieve a person's personal information	X	
	Retrieve a collection of personal photos	X	
	Retrieve the preferred name instance	X	
	Retrieve a personal photo	X	
	Retrieve a collection of work instant messenger accounts usernames	X	
	Retrieve the legal name instance	X	
	Retrieve a collection of work email addresses	X	
	Retrieve a collection of home addresses	X	
	Retrieve a home phone number	X	
	Retrieve a work instant messenger account username	X	
	Retrieve a work address	X	
	Retrieve a collection of work phone numbers	X	
	Retrieve an audio name pronunciation	X	
	Retrieve a work web address	X	
	Retrieve a person's public contact information	X	
	Retrieve a collection of home phone numbers	X	
	Retrieve a person in your workday tenant	X	
	Retrieve a collection of public contact information	X	
	Retrieve the legal name instance	X	
	Retrieve a person in your workday tenant	X	
	Retrieve a collection of home web addresses	X	
	Retrieve the preferred name instance	X	
	Retrieve a collection of additional names	X	
	Retrieve a collection of work addresses	X	
	Retrieve a collection of work web addresses	X	
	Retrieve a work phone number	X	
	Retrieve a home email address	×	
	Retrieve a home instant messenger account username	X	
	Retrieve a work email address	X	
	Retrieve a home web address	X	
	Retrieve a collection of home instant messenger account usernames	X	
People	Retrieve a collection of home email addresses	X	
Performance enablement: prompt values	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve a collection of workers and current staffing information	X	
	Retrieve a collection of workers and current staffing information	X	
	Retrieve a collection of goals for a specific worker	X	
	Retrieve a collection of feedback given events about the specified worker	X	
		^	X
	Create a single feedback given event instance about the specified worker	· · ·	^
	Retrieve a single goal instance for a specific worker	X	
Performance enablement: Workers	Retrieve a feedback given event instance with the specified ID	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Exposes prompting for country phone codes which are used during the collection of phone numbers	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	The set of countries a person has populated with country specific data	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	Х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	The set of countries a person is allowed to populated with country specific data	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Exposes prompting for phone device types which are used during the collection of phone numbers		
Person: Prompt values	Validates phone number data to ensure it is valid for workday	X	
Person: Prompt values Phone validation		Х	X
	Retrieve a single project plan phase instance		Х
	Retrieve a single project plan phase instance Delete an existing project plan phase instance	X	
	Delete an existing project plan phase instance		х
	Delete an existing project plan phase instance Update the project plan phase for the specified ID	X	
Phone validation	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project		X X
	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases	x	х
Phone validation	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance	X	X X
Phone validation	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance	x	x x x
Phone validation	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance	x x	X X
Phone validation	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance	x	x x x
Phone validation	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance	x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance	x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance Create project plan tasks	x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance Create project plan tasks or a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service	x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Return the company reference ID response field	x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases Retrieve a single project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrium the company reference ID response field Retrieve instances that can be used as values for other endpoint parameters in this service	x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	X X X X X X X X X X X	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Return the company reference ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Return the company reference ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Return the spend category ID response field	X X X X X X X X X X X X X X X	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	X X X X X X X X X X X X X X X X X X	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Return the company reference ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Return the spend category ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Return the un cefact common code response field Retrieve instances that can be used as values for other endpoint parameters in this service	X X X X X X X X X X X X X X X X X X X	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Return the company reference ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Return the spend category ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Return the un cefact common code response field Retrieve instances that can be used as values for other endpoint parameters in this service	X X X X X X X X X X X X X X X X X X X	x x x
Phone validation Plan phases	Delete an existing project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint par	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can b	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be use	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases	Delete an existing project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve in	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases Plan tasks	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Return the spend category ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Return the un cefact common code response field Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this se	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases Plan tasks	Delete an existing project plan phase instance Update the project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Re	x x x x x x x x x x x x x x x x x x x	X X X X X
Phone validation Plan phases Plan tasks	Delete an existing project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in	x x x x x x x x x x x x x x x x x x x	x x x
Phone validation Plan phases Plan tasks Procurement: Prompt values Programs	Delete an existing project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Return the spend category ID response field Retrieve instances that can be used as values for other endpoint parameters in this service Return the un cefact common code response field Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in	x x x x x x x x x x x x x x x x x x x	X X X X X
Phone validation Plan phases Plan tasks	Delete an existing project plan phase for the specified ID Retrieve a collection of project plan phases for a specified project Create project plan phases Retrieve a single project plan task instance Delete an existing project plan task instance Delete an existing project plan task instance Partially updates an existing project plan task instance Partially updates an existing project plan task instance with the specified ID and the specified data in the request body Retrieve a collection of project plan tasks for a specified project or project plan phase Create project plan tasks Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in	x x x x x x x x x x x x x x x x x x x	X X X X X

Projects			
Projects	Retrieve a collection of projects	X	
Projects	Create project create events and initiate the associated workflow to update the project		X
·	Retrieve a single project instance	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	Х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	x	
	Retrieve instances that can be used as values for other endpoint parameters in this service	x	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retireve instances that can be used as values for other endpoint parameters in this service. Retireve instances that can be used as values for other endpoint parameters in this service.	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	Х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	Х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	Х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	х	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
Projects: Prompt values	Retrieve instances that can be used as values for other endpoint parameters in this service	×	
, ,	Retrieve a single experience instance for a prospect	X	
	retileve a single experience instance on a prospect	^	Х
	Retrieve a single language instance for a prospect	X	^
		X	
	Retrieve the education of a single prospect instance Create education for a prospect	^	Х
		.,	^
	Retrieve a single skill instance for a prospect	X	
	Retrieve a single resume attachment instance for a prospect	X	
	Retrieve the work experience of a single prospect instance	X	
	Create experiences for a prospect		Х
	Secured by: candidate data: attachments scope: recruiting contains attachment(s)	X	
	Retrieve attached resumes for a single prospect instance	X	
	Create resume attachments for a prospect		X
	Secured by: candidate data: attachments scope: recruiting contains attachment(s)	X	
	Retrieve a single education instance for a prospect	X	
	Retrieve the languages of a single prospect instance	Х	
	Create languages for a prospect		x
	Retrieve the skills of a single prospect instance	x	
	Create skills for a prospect		х
Prospects	Retrieve a single prospect instance	х	
11000000	Retrieve a purchase order	X	
Purchase orders	Retirieve a collection of purchase orders	X	
Recruiting: prompt values		X	
Recruiting, prompt values	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve a single instance of an expense report		
	Retrieve a collection of expense reports	X	
	Secured by: self service: expense report scope: expenses		Х
	Create a collection of expense report lines		Х
Reports	Secured by: submit expense report (rest api) scope: expenses		X
	Retrieve a collection of request types	X	
	Retrieve a request type		
Request: Types		X	
Request: Types	Retrieve the request with the specified ID	X X	
Request: Types	Retrieve the request with the specified ID Closes a request		X
Request: Types			х
Request: Types Requests	Closes a request	X	X X
	Closes a request Retrieve a collection of in progress requests based on the specified parameters	X	
	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request	x	
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template	x x x	
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information	X X X X	
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition	x x x	Х
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment	X X X X	X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition	x x x x x	Х
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition	X X X X X X X	X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a requisition line for the specified requisition Retrieve a requisition line for the specified requisition	x x x x x	X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a requisition line for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line for the specified requisition	X X X X X X X	X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line for the requisition with the specified ID	X X X X X X X	X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line for the requisition Delete the specified requisition line for the requisition with the specified ID Closes a specified completed requisition with the specified ID	X X X X X X X	X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisition	X X X X X X X	X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition	X X X X X X X	x x x x
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Collete the specified requisition line Collete the specified completed requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisition Cancels an existing requisition	X X X X X X X	X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Retrieve a collection of requisition Retrieve a collection of requisition	X X X X X X X X	x x x x x
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a requisition Cancels an existing requisition Retrieve a requisition	X X X X X X X	X X X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Retrieve a collection of requisition Retrieve a collection of requisition	X X X X X X X X	x x x x
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a requisition Cancels an existing requisition Retrieve a requisition	X X X X X X X X	X X X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Collete the specified requisition in the forth of the specified requisition Delete the specified requisition line Collete the specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Update the header of an existing requisition	x x x x x x x x x	X X X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specific requisition line Closes a specified completed requisition Retrieve a collection of requisition Create a requisition Create a requisition Retrieve a collection of requisition Retrieve a collection of related purchase orders Retrieve a requisition Get attachment information	X X X X X X X X X X	X X X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Closes a specified completed requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a requisition Update the header of an existing requisition Retrieve the metadata of the attachments for the specified requisition Create a new attachment information	X X X X X X X X X X	X X X X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specific requisition line Closes a specified completed requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Retrieve a collection of requisition Retrieve a collection of requisition Get are a collection of related purchase orders Retrieve a requisition Retrieve a requisition Retrieve a new stachment of an existing requisition Retrieve a new tachment of the specified requisition Retrieve a new tachment of the specified requisition Set attachment information Retrieve the metadata of the attachments for the specified requisition Submit requisition to business process	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X
Requests Requisition templates	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line Edits a specified requisition ine Edits a specified completed requisition Retrieve a collection of requisitions Create a requisition Create a requisition Retrieve a collection of related purchase orders Retrieve a requisition Set attachment information Retrieve the metadata of the attachments for the specified requisition Create a new attachment for the specified requisition Submit requisition to requisition lines Retrieve a collection of requisition lines	X X X X X X X X X X	X X X X X X X
Requests	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Pelete the specified requisition line Closes a specified completed requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Update the header of an existing requisition Get attachment information Retrieve the metadata of the attachments for the specified requisition Create a new attachment for the specified requisition Submit requisition to business process Retrieve a collection of requisition ines Create requisition lines for the specified requisition	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X
Requests Requisition templates	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line Closes a specified completed requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Retrieve a requisition Retrieve a requisition Submit requisition to business process Retrieve a new attachment for the specified requisition Submit requisition to business process Retrieve a collection of requisition lines Create a new attachment for the specified requisition Retrieve a requisition to the specified requisition Retrieve a requisition to the specified requisition Retrieve a requisition for the specified requisition Retrieve a resource forecast line allocation for the specified ID	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X
Requests Requisition templates	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specified requisition line Edits a specified requisition ine Edits a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancets an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Qet attachment information Retrieve the metadata of the attachments for the specified requisition Create a new attachment for the specified requisition Submit requisition to business process Retrieve a collection of requisition lines Create requisition lines for the specified requisition Submit requisition ines for the specified requisition Retrieve a resource forecast line allocation for the specified ID Create resource forecast line allocation for the specified ID Create resource forecast line allocation for the specified ID	x	X X X X X X X
Requests Requisition templates	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Retrieve a requisition ine for the specified requisition Retrieve a specified requisition line Edits a specific requisition line for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Update the header of an existing requisition Get attachment information Retrieve the metadata of the attachments for the specified requisition Create a new attachment for the specified requisition Submit requisition to business process Retrieve a collection of requisition lines Create requisition lines for the specified requisition Retrieve are collection of requisition ines Create requisition lines for the specified requisition Retrieve a collection of requisition ines Create requisition lines for the specified requisition Retrieve a collection of requisition ines Create requisition lines for the specified requisition Retrieve a collection of requisition ines Create requisition lines for the specified requisition	x x x x x x x x x x x x x x x x x x x	X X X X X X X X X X X X X X X X X X X
Requests Requisition templates	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Delete the specified requisition line Edits a specific requisition in for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a cequisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Get attachment information Retrieve a requisition Retrieve a requisition Retrieve and the attachments for the specified requisition Retrieve and the metadata of the attachments for the specified requisition Retrieve the metadata of the attachments for the specified requisition Retrieve a requisition to business process Retrieve a collection of requisition lines Create requisition from the specified requisition Retrieve a resource forecast line allocation for the specified requisition Retrieve a single resource forecast line allocations Retrieve as single resource forecast line inistance Retrieve resource forecast line allocation	x	X X X X X X X X X X X X X X X X X X X
Requests Requisition templates	Closes a request Retrieve a collection of in progress requests based on the specified parameters Create a request Retrieve the goods and service line details of a requisition template Retrieve a collection of requisition templates Get attachment information Retrieve the metadata or the attachment content of the specified requisition Delete the specified requisition attachment Partially updates the metadata of an existing attachment instance for a requisition Retrieve a related purchase order for the specified requisition Retrieve a requisition line for the specified requisition Retrieve a requisition ine for the specified requisition Retrieve a specified requisition line Edits a specific requisition line for the requisition with the specified ID Closes a specified completed requisition Retrieve a collection of requisitions Create a requisition Cancels an existing requisition Retrieve a collection of related purchase orders Retrieve a collection of related purchase orders Retrieve a requisition Update the header of an existing requisition Get attachment information Retrieve the metadata of the attachments for the specified requisition Create a new attachment for the specified requisition Submit requisition to business process Retrieve a collection of requisition lines Create requisition lines for the specified requisition Retrieve are collection of requisition ines Create requisition lines for the specified requisition Retrieve a collection of requisition ines Create requisition lines for the specified requisition Retrieve a collection of requisition ines Create requisition lines for the specified requisition Retrieve a collection of requisition ines Create requisition lines for the specified requisition	x x x x x x x x x x x x x x x x x x x	X X X X X X X X X X X X X X X X X X X

	Retrieve a collection of resource plan lines	X	
	Create a resource plan line create event and initiate the project resource plan line business process		Х
	Create a resource plan line edit event and initiate the project resource plan line business process		Х
esource plan lines	Retrieve a single resource plan line instance	X	
un budget check	Create a budget check for transactions		Х
	Provides the ability to set up and retrieve scores on scorecard results	X	
	Create a new scorecard result		Х
	Provides the ability to set up and retrieve scores on scorecard results	X	
	Delete the scorecard results with the specified ID		Х
corecard results	Update the score for the specified scorecard result		X
ocorecard results			^
	Retrieve compensation scorecard information	X	
	Create a compensation scorecard		Х
	Retrieve compensation scorecard information	X	
	Update a compensation scorecard		Х
orecards	Delete a compensation scorecard with the specified ID		Х
nd message	Secured by: administer communications scope: system		Х
nd supplier invoice attachments for scanning	Send supplier invoice attachments for scanning		Х
	Retrieve a service category with the specified ID	X	
rvice categories	Retrieve all parent service categories	X	
	Get sheet availability	X	
eet availability	Update sheet availability		X
	Retrieve a collection of workspaces for the specified job ID	X	
	Retrieve a single job instance	X	
	Retrieve a collection of jobs	X	
fing: Jobs	Retrieve a single workspace instance	X	
ilig. Jobs			
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	x	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
		X	
	Retrieve instances that can be used as values for other endpoint parameters in this service		
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
fing: Prompt values	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
<u> </u>	Retrieve a single supervisory organization instance	X	
	Retrieve information about an organization chart of the specified supervisory organization ID	X	
		X	
	Retrieve a single member instance		
	Retrieve a supervisory organization for the specified ID	X	
	Retrieve a collection of members for the specified supervisory organization ID	X	
ing: Supervisory organizations	Retrieve a single organization chart instance	X	
	Initiate an organization assignment change for a specific worker		×
	Secured by: person data: skills self service: skills scope: worker profile and skills	X	
	Secured by: person data: skills self service: skills scope: worker profile and skills		×
	Create a new home contact change business process event for the parent person		×
	Retrieve a collection of check ins topics	X	
	Create check in topics		>
	Partially updates an existing check in topic to archived or un archived		>
	Secured by: person data: skills self service: skills scope; worker profile and skills	X	
	Retrieve all external skill level information for a worker you can filter the external skill levels by externalskill ID	X	
		^	
	Update external skill levels Create a new home contact change business process quant for the parent person		>
	Create a new home contact change business process event for the parent person	V	
	Retrieve a single check in instance	X	
	Delete an existing check in instance		>
	Partially updates an existing check in instance		>
	Get explicit skills for skill enabled	X	
	Save skills a user has		×
	Get explicit skills for skill enabled	X	
	Retrieve a single check in topic instance	X	
	Delete an existing check in topic instance	~	×
			>
	Partially updates an existing check in topic instance	V	
	Retrieve an existing home contact change event for the person	X	
	Retrieve an existing work contact change event for the person	X	
	Retrieve a collection of check ins	X	
	Create check ins		Х
	Retrieve a collection of workers and current staffing information	X	
			Х
	Initiate a job change request for a specific worker		^
	Initiate a job change request for a specific worker Retrieve a collection of workers and current staffing information	X	^

	Retrieve a collection of service dates for the specified worker ID	Х	
	Partially updates an existing check in to archived or un archived	^	Х
	Retrieve all external skill level information for a worker you can filter the external skill levels by externalskill ID	X	
affing: Workers	Create external skill levels		Х
	Retrieve a collection of student holds assigned to the specified student ID	X	
	Retrieve a collection of students	X	
	Retrieve a student instance	X	
udent engagement: Students	Retrieve a single student hold instance for the specified student	X	
	Retrieve a collection of students	X	
	Retrieve a student instance	X	
	Retrieve a single student payment instance for the specified student ID	X	
	Partially updates an existing student payment for the student instance		Х
	Retrieve a collection of student payments	X	
Student finance: Students	Create a student payment	V	Х
	Retrieve a collection of residence information for the specified student ID Retrieve a collection of students	X	
	Retrieve a student instance	X	
	Retrieve a collection of immigration events	X	
	Retrieve an immigration event for the specified student	X	
tudentcore: Students	Retrieve residence information for the specified student	X	
	Retrieve all supplier contracts	×	
ipplier contracts	Retrieve a supplier contract	×	
	Submit a single supplier invoice instance		Х
	Secured by: process: supplier invoice request view: supplier invoice request scope: supplier accounts contains attachment(s)	×	
	Retrieve a collection of supplier invoices	X	
	Create the supplier invoice as specified in the request		Х
	Retrieve a single attachment instance	X	
	Secured by: process: supplier invoice request view: supplier invoice request scope: supplier accounts contains attachment(s)	X	
	Retrieve a collection of supplier invoice lines	X	
	Retrieve a single supplier invoice instance	X	
	Retrieve a collection of attachments for the specified supplier invoice	X	
	Create a new attachment for the supplier invoice		Х
pplier invoice requests	Retrieve a single supplier invoice line instance	X	
nton motion or d	Retrieve system metrics with the specified id, including queued tasks, running tasks, and active user sessions	X	
stem metrics overview	Retrieve system metrics	X	
	Get tables that the current user has permission on Create a new table with the specified name	X	Х
	Get the description of a table by ID	X	^
	Edit an existing table with the specified name	^	Х
bles	Edit the specified attributes of an existing table with the specified ID		×
DIC3	Retrieve a collection of task resources	X	^
	Create task resources		Х
	Retrieve a single task resource instance	X	
	Delete an existing task resource instance		Х
sk resources	Update task resource for specified workday ID		Х
	Retrieve a single or a collection of company sui rates	X	
x rates	Create a single or a collection of company sui rates		Х
me	Update time structure		Х
	Retrieve a collection of time clock events for a worker for a date range	X	
	Create time clock events for specified workers		Х
	Retrieve a time clock event	X	
	Update the time clock event for the specified ID		Х
me clock events	Delete a time clock event		Х
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	X X	
	Retrieve instances that can be used as values for other endpoint parameters in this service Retrieve instances that can be used as values for other endpoint parameters in this service	X	
	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
ne tracking: Prompt values	Retrieve instances that can be used as values for other endpoint parameters in this service	X	
ne tracking. I foript values	Create a time review event or time review events	^	Х
	Retrieve a summary of reported hours for a worker over a period	X	
	Retrieve a period from the period schedule the worker is eligible for	×	
	Retrieve a collection of workers and current staffing information	X	
	Create a worker time block		Х
	Retrieve a collection of workers and current staffing information	X	
	Delete a specified worker time block		Х
	Update a specified worker time block		Х
ne tracking: Workers	Retrieve a summary of reported hours for a worker over a period	X	
ne validations	Retrieve a collection of time entry validations	X	
	Get tenant versions	X	
	Delete version		Х
	Update/ create actuals versions		X
rsions	Clone version		Х
	Retrieve phone number as it exists staged for update by the parent business process	X	.,
	Remove the specified address		X
	Partially update an existing phone number that is staged for update by the parent business process event		Х
	Retrieve instant messenger as it exists staged for update by the parent business process Remove the specified instant messenger	X	Х
	Partially update an existing instant messenger that is staged for update by the parent business process event		×
	Partially update an existing instant messenger that is staged for update by the parent business process event Submit the specified contact change ID		X
	Return basic information about the work contact change event, as well as the alternate work location staged by the event	X	^
	Update the alternate work location staged by this business process event	^	X
	Retrieve all existing instant messengers staged for update by the parent business process	Х	^
	Create a new instant messenger staged by the parent business process event secured by	^	X
	Retrieve web address as it exists staged for update by the parent business process	Х	^
	Remove the specified web address	^	X
	Partially update an existing web address that is staged for update by the parent business process event		×
	Retrieve all existing phone numbers staged for update by the parent business process	X	
	Create a new phone number staged by the parent business process event	~	Х
	Retrieve all existing addresses staged for update by the parent business process	Х	
	Create a new email address staged by the parent business process event	~	Х
	Retrieve email address as it exists staged for update by the parent business process	Х	
		^	
	Remove the specified email address		X
	Remove the specified email address Partially update an existing email address that is staged for update by the parent business process event		X

	Create a new web address staged by the parent business process event		X
	Retrieve address as it exists staged for update by the parent business process	X	
	Update an existing address that is staged for update by the parent business process event		X
	Retrieve all existing addresses staged for update by the parent business process		X
	Create a new address staged by the parent business process event	X	
Work contact information changes	Creates a new address staged by the parent business process event. secured by: person data: work address, self service: work address scope: contact information		X
	Retrieve a worker time block	X	
Worker time blocks	Retrieve time blocks for specified workers over a date range	X	
Worktag: Validate worktags	Validates worktags		X
WQL: Validate worktags	Validates worktags		X